8. REFERENCES

*ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th Ed. Cincinnati, OH: American Conference of Government Industrial Hygienists Inc., 109-110.

*Adams EM, Spencer HC, Rowe VK, et al. 1952. Vapor toxicity of carbon tetrachloride determined by experiments on laboratory animals. Arch Ind Hyg Occup Med 6:50-66.

*Agarwal AK, Mehendale HM. 1984a. CCl_4-induced alterations in Ca^{++} homeostatis in chlordecone and phenobarbital pretreated animals. Life Sciences, 34: 14 l-148.

*Agarwal AK, Mehendale HM. 1984b. Excessive hepatic accumulation of intracellular Ca^{2+} in chlordecone potentiated CCl, toxicity. Toxicology 30: 17-24.

*Agarwal AK, Mehendale HM. 1986. Effect of chlordecone on carbon tetrachloride-induced increase in calcuim uptake in isolated perfused rat liver. Toxicol Appl Pharmacol 83:342-348.

Agrawal HC, Agrawal D. 1989. Tumor promoters accentuate phosphorylation of PO: evidence for the presence of protein kinase C in purified PNS myelin. Neurochem Res 14:409-413.

Ahmad FF, Cowan DL, Sun AY. 1987. Detection of free radical formation in various tissues after acute carbon tetrachloride administration in gerbil. Life Sci 40:2469-2475.

Ahmadizadeh M, Echt R, Heusner WW, et al. 1990. Effect of carbon tetrachloride on hamster tracheal epithelial cells. J Toxicol Environ Health 30:273-285.

Ala-Kokko L, Stenback F, Ryhanen L. 1987. Preventive effect of malotilate on carbon tetrachlorideinduced liver damage and collagen accumulation in the rat. Biochem J 246:503-509.

---

* Cited in text

8. REFERENCES

*Ala-Kokko L, Gunzler V, Hoek JB, et al. 1992. Hepatic fibrosis in rats produced by carbon tetrachloride and dimethylnitrosamine: observations suggesting immunoassays of serum for the 7S fragment of type IV collagen are a more sensitive index of liver damage than immunoassays for the NH_2,-terminal propeptide of type III procollagen. Hepatology 16: 167-172.

Albano E, Carini R, Parola M, et al. 1989. Effects of carbon tetrachloride on calcium homeostasis. Biochem Pharmacol 38 : 2719-2725,

*Allis JW, Ward TR, Seely JC, et al. 1990. Assessment of hepatic indicators of subchronic carbon tetrachloride injury and recovery in rats. Fund Appl Toxicol 15:558-570.

*Alumot E, Nachtomi E, Mandel E, et al. 1976. Tolerance and acceptable daily intake of chlorinated fumigants in the rat diet. Food Cosmet Toxicol 14: 105-110.

*Andervont HB. 1958. Induction of hepatomas in strain C3II mice with 4-0-tolylazo-o-toluidine and carbon tetrachloride. J Nat1 Cancer Inst 20:431-438.

Andrabi K, Kaul N, Gangly NK, et al. 1989. Altered calcium homeostatis in carbon tetrachloride exposed rat hepatocytes. Biochem International 18: 1287- 1295.

Aniya Y, Anderq MW. 1985. Alteration of hepatic glutathione S-transferases and release into serum after treatment with bromobenzene, carbon tetrachloride, or N-nitrosodimethylamine. Biochem Pharmacol 34:4239-4244.

*Annoni G, Contu L, Tronci MA, et al. 1992. Pyridoxol,2-pyrrolidon-5 carboxylate prevents active fibroplasia in CCl_4-treated rats. Pharmacological Research 25 : 87-93.

Anttinen H, Oikarinen A, Puistola U, et al. 1985. Prevention by zinc of rat lung collagen accumulation in carbon tetrachloride injury. Am Rev Respir Dis 132:536-540.

Anon. 1992. Carbon tetrachloride toxicity. American Family Physician 46: 1199-1207.

*AOAC. 1984. Fumigant residues. Volatile fumigants in grain. Gas Chromatographic Method. Section 29.071. In: Official Methods of Analysis of The Association of Official Analytical Chemists. 14th ed. Arlington, VA: Association of Official Analytical Chemists Inc., 547-548.

*APHA. 1985. Halogenated methanes and ethanes by purge and trap - method 514. In: Standard Methods for the Examination of Water and Wastewater. 16th ed. Washington, DC: American Public Health Association, 591-602.

*APHA. 1992a. Methos 6230A. Volatile Halocarbons. In: Standard methods for the examination of water and wastewater. 18th ed. Washington, DC. American Public Health Association, 46-57.

*APHA. 1992b. Methos 604OC. Purge and trap technique. In: Standard methods for the examination of water and wastewater. 18th ed. Washington, DC. American Public Health Association, 17-36.

Aragno M, Danni 0, Ugazio G. 1989. In vivo studies on halogen compound interactions. II. Effects of carbon tetrachloride plus 1,2-dibromomethane on relative liver weight and hepatic steatosis. Res Comm Chem Pathol Pharmacol 66: 105-116.

*Aragno M, Tamagno E, Danni O, et al. 1992. In viva studies on halogen compound interactions. III. Effect of carbon tetrachloride plus 1,2-dichloroethane on liver necrosis and fatty accumulation. Research Communication in Chemical Pathology and Pharmacology 76:341-354.

Arii S, Monden K, Itai S, et al. 1990. Depressed function of kupffer cells in rats with CCl_4-induced liver cirrhosis. Res Exp Med 190: 173-182.

Ariosto F, Riggio 0, Cantafora A, et al. 1989. Carbon tetrachloride-induced experimental cirrhosis in the rat: A reappraisal of the model. Eur Surg Res 21:280-286.

*Ashe WF, Sailer S. 1942. Fatal uremia following single exposure to carbon tetrachloride fumes. Ohio State Med J 38:553-555.

*Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64: 1021-1029.

*ASTM. 1987. Sampling workplace atmospheres to collect organic gases or vapors with activated charcoal diffusional samplers - method D 4597-87. In: 1987 Annual Book of ASTM Standards. Volume 11.03. Atmospheric analysis; occupational health and safety. Philadelphia, PA: American Society for Testing and Materials, 490-494.

*ASTM. 1988. Low molecular weight halogenated hydrocarbons in water - method D 3973-85. 1988 Annual Book of ASTM Standards. Volume 11.02. Water and Environmental Technology. Philadelphia, PA: American Society for Testing Materials, 141-145.

ATSDR. 1988. VIEW database. Atlanta, GA: Agency for Toxic Substances and Disease Registry Office of External Affairs, Exposure and Disease Registry Branch, October 1988.

*ATSDR. 1989. Agency for Toxic Substances and Disease Registry. Federal Register 54:37618-37634.

Axelsson G, Rylander R. 1989. Outcome of pregnancy in women engaged in laboratory work at a petrochemical plant. Am J Ind Med 16:539-545.

*Azri S, Mata HP, Gandolfi AJ, Brendel K. 1991. CCl_4-induced cytochrome P-450 loss and lipid peroxidation in rat liver slices. Biol Reactive Intermediates 669-674.

*Bai CL, Canfield PJ, Stacey NH. 1992. Individual serum bil acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. Toxicology 75:221-234.

Bakale G, McCreary RD. 1990. Response of the k, test to NCUNTP-screened chemicals. I. Nongenotoxic carcinogens and genotoxic noncarcinogens. Carcinogenesis 11:1811-1818

Bandi ZL, Ansari GA. 1989. Isolation of hydroxy fatty acids from livers of carbon tetrachloridetreated rats by thin-layer chromatography. J Chromatogr 475:461-466.

*Barber ED, Donish WH, Mueller KR. 1981. A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames Solmonella/microsome assay. Mut Res 90:31-48.

Barber LB, Thurman EM, Takahashi Y, et al. 1992. Comparison of purge and trap GC/MS and purgeable organic chloride analysis for monitoring volatile chlorinated hydrocarbons. Ground Water 30:836-842.

Barkley J, Bunch J, Bursey JT, et al. 1980. Computer analysis of volatile halogenated hydrocarbons in man and his environment -- a multimedia environmental study. Biomed Mass Spectrom 7: 139-147.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.

*Barnes R, Jones RC. 1967. Carbon tetrachloride poisoning. Am Ind Hyg Assoc J 28:557-560.

Barnes D, Bellin J, DeRosa C, et al. 1987. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC: US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.

Barrow L, Tanner MS. 1989. The effect of carbon tetrachloride on the copper-laden rat liver. Br J Exp Pathol 70:9-19.

Baumann M, Berauer M. 1985. Comparative study on the sensitivity of several serum enzymes in detecting hepatic damage in rats. Arch Toxicol 8 (Supplement):370-372.

Becker E, Messner B, Berndt J. 1987. Two mechanisms of CCl_4-induced fatty liver: lipid peroxidation or covalent binding studied in cultured rat hepatocytes. Free Rad Res Commun 3:299-308.

*Bell AN, Mehandale HM. 1985. The effect of dietary exposure to a mirex plus chlordecone combination on Ccl, hepatotoxicity. Fund Appl Toxicol 5:679-687.

8. REFERENCES

*Bell AN, Mehendale HM. 1987. Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of Ccl, in chlordecone, mirex, and phenobarbital pretreated rats. Toxicol Lett 35:191-200.

*Bellar TA. 1989. Method 502.1. Volatile halogenated organic compounds in water by purge and trap gas chromatography. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

*Belyaev ND, Budker VC, Deriy LV, et al. 1992. Liver plasma membrane-associated fibroblast growth: stimulatory and inhibitory activities during experimental cirrhosis. Hepatology 15:525-531.

Bender AP, Parker DL, Johnson RA, et al. 1989. Minnesota highway maintenance worker study: Cancer mortality. Am J Ind Med 15:545-556.

*Bengtsson F, Bugge M, Vagianos C, et al. 1987. Brain serotonin metabolism and behavior in rats with carbon tetrachloride-induced liver cirrhosis. Res Exp Med 187:429-438.

*Berck B. 1974. Fumigant residues of carbon tetrachloride, ethylene dichloride, and ethylene dibromide in wheat, flour, bran, middlings, and bread. J Agric Food Chem 22:977-985.

Berger ML, Sozen T. 1987. Rapid halogenated hydrocarbon toxicity in isolated hepatocytes is mediated by direct solvent effects. Toxicology 45:319-330.

*Bergman K. 1983. Application and results of whole-body autoradiography in distribution studies of organic solvents. CRC Crit Rev Toxicol 12:59-118.

*Berman E, House DE, Allis JW, et al. 1992. Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. J Toxicol Environ Health 37: 161-176.

Bernacchi AS, Fernandez G, Villarruel MC, et al. 1988. Further studies on the late preventive effects of the anticalmodulin trifluoperazine on carbon tetrachloride-induced liver necrosis. Exp Mol Pathol 48:286-300.

8. REFERENCES

Bertelli A, Giovamrini L, Bertelli AA, et al. 1986. Tissue concentrations of coenzyme Q in liver of rats intoxicated by carbon tetrachloride. Int J Tissue React 8:343-346.

*Bhathal PS, Rose NR, Mackay IR, et al. 1983. Strain differences in mice in carbon tetrachlorideinduced liver injury. Br J Exp Pathol 64:524-533.

*Bhattacharyya K. 1965. Foetal and neonatal responses to hepatotoxic agents. J Path Bact 90:151-161.

*Bianchi AP, Varney MS, Phillips J. 1991, Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography-mass spectrometry. J Chromatogr 542:413-450.

Biasi F, Albano E, Chiarpotto E, et al. 1991. In *viva* and *in vitro* evidence concerning the role of lipid peroxidation in the mechanism of hepatocyte death due to carbon tetrachloride. Cell Biochem Func 9:111-118.

*Bickel M, Baader E, Brocks DG, et al. 1991. Beneficial effects of inhibitors of prolyl 4-hydroxylase in CCl4-induced fibrosis of the liver in rats. J Hepatology 13:S26-S34.

*Biesel KW, Ehrinpreis MN, Bhathal PS, et al. 1984. Genetics of carbon tetrachloride-induced liver injury in mice. II. Multigenic regulation. Br J Exp Pathol 65: 125-131.

Blair A, Decoufle P, Grauman D. 1979. Causes of death among laundry and dry cleaning workers. Am J Public Health 69:508-511.

*Blair PC, Thompson MB, Wilson RE, et al. 1991. Correlation of changes in serum analytes and hepatic histopathology in rats exposed to carbon tetrachloride. Toxicol Lett 55: 149-159.

Bogen KT. 1990. Risk extrapolation for chlorinated methanes as promoters vs initiators of multistage carcinogenesis. Fund Appl Toxicol 15:536-557.

*Bogers M, Appelman LM, Feron VJ, et al. 1987. Effects of the exposure profile on the inhalation toxicity of carbon tetrachloride in male rats. J Appl Toxicol 7: 185-191.

Bond GG, McLaren EA, Sabel FL, et al. 1990. Liver and biliary tract cancer among chemical workers. Am J Ind Med 18:19-24.

Borzelleca JF, O'Hara TM, Gennings C, et al. 1990. Interactions of water contaminants. I. Plasma enzyme activity and response surface methodology following gavage administration of CCl_4 and $CHCl_3$ or TCE singly and in combination in the rat. Fund Appl Toxicol 14:447-490.

Bosma A, Brouwer A, Seifert WF, et al. 1988. Synergism between ethanol and carbon tetrachloride in the generation of liver fibrosis. J Pathol 156: 15-21.

*Bove FJ, Fulcomer MC, Klotz JB, et al. 1992a. Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on Phase IV-A: Public drinking water contamination and birthweight, fetal deaths, and birth defects. A cross-sectional study. New Jersey Department of Health.

*Bove FJ, Fulcomer MC, Klotz JB, et al. 1992b. Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on Phase IV-A: Public drinking water contamination and birthweight, fetal deaths, and birth defects. A case-control study. New Jersey Department of Health.

*Boyd MR, Statham CN, Longo NS. 1980. The pulmonary Clara cell as a target for toxic chemicals requiring metabolic activation; studies with carbon tetrachloride. J Pharmacol Exp Ther 212: 109-114.

Bozzelli J, Kebbekus BB. 1982. A study of some aromatic and halocarbon vapors in the ambient atmosphere of New Jersey. J Environ Sci Technol 9:833-838.

*Brady JF, Xiao F, Wang M-H, et al. 1991. Effects of disulfiran on hepatic P450IIE1, other microsomal enzymes, and hepatotoxicity in rats. Toxicol Appl Pharmacol 108:366-373.

Brandom WF, McGavran L, Bistline RW, et al. 1990. Sister chromatid exchanges and chromosome aberration frequencies in plutonium workers. Int J Radiat Biol 58:195-207.

Brattin WJ, Glende EA Jr., Recknagel RD. 1985. Pathological mechanisms in carbon tetrachloride hepatotoxicity. J Free Radical Biol Med 1:27-38.

Brent JA, Rumack BH. 1993. Role of free radicals in toxic hepatic injury II. Are free radicals the cause of toxin-induced liver injury? Clin Toxicol 31: 173-196.

*Briggs GG. 1973. A simple relationship between soil adsorption of organic chemicals and their octanol/water partition coefficients. Proceedings of the 7th British Insecticide Fungicide Conference (1973) 83-86.

Brittebo EB, Brandt I. 1989. Metabolic activation of carbon tetrachloride by the cervico-vaginal epithelium in rodents. Pharmacol Toxicol 65 : 336-342.

*Brittebo EB, Eriksson C, Brandt I. 1990. Metabolic activation of halogenated hydrocarbons in the conjunctival epithelium and excretory ducts of the intraorbital lacrimal gland in mice. New York, NY: Academic Press 245-252.

*Brodzinski R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-83-027(A).

*Brondeau MT, Coulais C, de Ceaurriz J. 1991. Difference in liver and serum malathion carboxylesterase and glucose-6-phosphatase in detecting carbon tetrachloride-induced liver damage in rats. J Appl Toxicol 11:433-435.

*Brown KW, Donnely KC. 1988. An estimation of risk associated with the organic constituents of hazardous and municipal waste landfill leachates. Hazardous Waste and Hazardous Materials 5(1): 1-30.

8. REFERENCES

*Bruckner JV, Kim HJ, Muralidhara S, et al. 1990. Influence of route and pattern exposure on the pharmacokinetics and hepatotoxicity of carbon tetratchloride. In: Gerrity TR and Henry CJ, eds. Principle of route to route extrapolation for risk assessment. Elsevier Science Publishing Co., Inc. 271-284.

*Bruckner JV, Luthra R, Kyle GM, et al. 1984. Influence of time of exposure to carbon tetrachloride on toxic liver injury. Ann Rev Chronopharmacol 1:373-376.

*Bruckner JV, MaKenzie WF, Muralidhara S, et al. 1986. Oral toxicity of carbon tetrachloride: acute, subacute and subchronic studies in rats. Fund Appl Toxicol 6: 16-34.

Brunke EG, Allen RJ. 1988. Tropospheric background measurements of $CFCl_3$, CH_3CCl_3, and CCl_4 at Cape Point, South Africa, and their long-term trends. South African J Sci 84:266-270.

Burk RF, Reiter R, Lane JM. 1986. Hyperbaric oxygen protection against carbon tetrachloride hepatotoxicity in the rat. Association with altered metabolism. Gastroenterol 90: 812-818.

*Burlhart KK, Hall AH, Gerace R, et al. 1991. Hyperbaric oxygen treatment for carbon tetrachloride poisoning. Drug Safety 6: 332-338.

Butler TC. 1961. Reduction of carbon tetrachloride *in vivo* and reduction of carbon tetrachloride and chloroform *in vitro* by tissues and tissue constituents. J Pharmacol Exper Therap 134:311-319.

*C&EN. 1992. Production by the U.S. Chemical Industry. Chemical and Engineering News, June 29, 1992. 36.

*C&EN. 1993. Production by the U.S. Chemical Industry. Chemical and Engineering News, June 28, 1993.

*Cagen SZ, Klaassen CD. 1979. Hepatotoxicity of carbon tetrachloride in developing rats. Toxicol Appl Pharmacol 50:347-354.

*Cai Z, Mehendale HM. 1990. Lethal effects of CCl_4, and its metabolism by mongolian gerbils pretreated with chlordecone, phenobarbital, or mirex. Toxicol Appl Pharmacol 104:511-520.

*Cai Z, Mehendale HM. 1991a. Hepatotoxicity and lethality of halomethanes in Mongolian gerbils pretreated with chlordecone, phenobarbital or mirex. Arch Toxicol 65:204-212.

*Cai Z, Mehendale HM. 1991b. Prestimulation of hepatocellular regeneration by partial hepatectomy decreases toxicity of carbon tetrachloride in gerbils. Biochem Pharmacol 42:633-644.

*Cai Z, Mehendale HM. 1993. Resiliency to amplification of carbon tetrachloride hepatoxicity by chlordecone during postnatal development in rats. Pediatric Research 33:225-232.

*Calabrese EJ, Baldwin LA, Mehendale HM. 1993. Contemporary issues in toxicology. G_2 subpopulation in rat liver induced into mitosis by low-level exposure to carbon tetrachloride: An adaptive response. Toxicol Appl Pharmacol 121: l-7.

*Callen DF, Wolf CR, Philpot RM. 1980, Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in Saccharomyces *cerevisiae.* Mutat Res 77:55-63.

*Camps J, Bargallo T, Gimenez A, et al. 1992. Relationship between hepatic lipid peroxidation and fibrogenesis in carbon tetrachloride-treated rats: effect of zine administration. Clinical Science 83:695-700.

Capurro PU. 1979. Cancer in a community subject to air pollution by solvent vapors. Clin Toxicol 14:285-294.

Carakostas MC, Gossett KA, Church GE, et al. 1986. Evaluating toxin-induced hepatic injury in rats by laboratory results and discriminant analysis. Vet Path 23:264-269.

Carlson GP. 1989. Effect of ethanol, carbon tetrachloride, and methyl ethyl ketone on butanol oxidase activity in rat lung and liver. J Toxicol Environ Health 27:255-261,

Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers: A case-control study among workers at two nuclear facilities. Am J Ind Med 13:351-362.

*Castillo T, Koop DR, Kamimura S, et al. 1992. Role of cytochrome P-450 2El in ethanol-, carbon tetrachloride- and iron-dependent microsomal lipid peroxidation. Hepatol 16(4):992-996.

Castro GD, Diaz-Gomez MI, Castro JA. 1990. Biotransformation of carbon tetrachloride and lipid peroxidation promotion by liver nuclear preparations from different animal species. Cancer Lett 53:9-15.

Castro GD, Lopez AJ, Petricio AR, et al. 1986. Effect of the pretreatment with pyrazole, cystamine or diphenyl-P-phenylenediamine (DPPD) on the CCl_4-promoted pentane evolution in rats. Res Commun Chem Pathol Pharmacol 52: 137-140.

Castro JA, Diaz-Gomez MI. 1972. Studies on the irreversible binding of ^{14}C-Carbon tetrachloride to microsomal lipids in rats under varying experimental conditions. Toxicol Appl Pharmacol 23:541-552.

*CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDUATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registery. Summary report, August 27, 1990.

CDHS. 1988. Notice of proposed rulemaking. June 23. Sacramento, CA: California Department of Health Services.

*CEH. 1985. CEH product review. Chlorinated methanes. Chemical Economic Handbook-SRI International, pp 635.2020A to 635.2022B.

Cessi C, Colombini C, Mameli L. 1966. The reaction of liver proteins with a metabolite of carbon tetrachloride. Biochem J 101:46c-47c.

Chadwick RW, Copeland MF, Carlson GP, et al. 1988. Comparison of *in vivo* and *in vitro* methods for assessing the effects of carbon tetrachloride on the hepatic drug-metabolizing enzyme system. Toxicol Lett 42:309-316.

Chamuleau RA, Creyghton JH, De Nie I, et al. 1988. Is the magnetic resonance imaging proton spin-lattice relaxation time a reliable noninvasive parameter of developing liver fibrosis. Hepatology 8:217-221.

*Chandler FA. 1936. The use of carbon tetrachloride in the removal of adhesive tape. Report of a near fatal case. J Am Med Assoc 107:2121.

*Chandler AC, Chopra RN. 1926. Effects of the administration of sugar, magnesium sulfate, sodium citrate and dilute acid on the liver damage done by carbon tetrachloride. Ind J Med Res 14:219-226.

*Chapman K, Prabhudesai M, Erdman JW. 1992. Effects of ethanol and carbon tetrachloride upon vitamin A status of rats. Alcoholism: Clinical and Experimental Research 16:764-768.

Charbonneau M, Couture J, Plaa GL. 1991. Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl_4-induced liver injury. Toxicol Lett 57:47-54.

*Charbonneau M, Oleskevich S, Brodeur J, et al. 1986. Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. Fundam Appl Toxicol 6:654-66 1.

*Chatterjee A. 1966. Testicular degeneration in rats by carbon tetrachloride intoxication. Experientia 226: 395-396.

Chaudhury S, Mehendale HM. 1991. Amplification of Ccl, toxicity by chlordecone: destruction of rat hepatic microsomal cytochrome P-450 subpopulation. J Toxicol Environ Health 32:277-294.

Chen, WJ, Chi EY, Smuckler EA. 1977. Carbon tetrachloride-induced changes in mixed function oxidases and microsomal cytochromes in the rat lung. Lab Invest 36:388-394.

Chen JD, Wang JD, Jang JP, et al. 1991. Exposure to mixtures of solvents among paint workers and biochemical alterations of liver function. Br J Ind Med 48:696-701.

*Chiarpotto E, Biasi F, Comoglio A, et al. 1990. CCl_4-induced increase of hepatocyte free arachiodonate level: pathogenesis and contribution to cell death. Chem Biol Interact 74: 195-206.

*Cholbi MR, Paya M, Alearaz MJ. 1991. Inhibitory effects of phenolic compounds on CCl_4-induced microsomal lipid peroxidation. Research Articles 47: 195-199.

Christenson WR, Davis ME, Berndt WO. 1989. Effect in the rat of the interaction of dichloromaleic acid and carbon tetrachloride on renal and hepatic function, Fundam Appl Toxicol 13:493-499.

*Clair P, Tua M, Simian H. 1991, Capillary columns in series for GC analysis of volatile organic pollutants in atmospheric and alveolarf air. Journal of High Resolution Chromatography 14:383-387.

Clawson GA. 1989. Mechanisms of carbon tetrachloride hepatotoxicity. Pathol Immunopathol Res 8: 104-l 12.

Clawson GA, Blankenship LJ, Rhame JG, et al. 1992. Nuclear enlargement induced by hepatocarcinogens alters ploidy. Cancer Res 52: 1304-1308.

Clawson GA, MacDonald JR, Woo CH. 1987. Early hypomethylation of 2'-0-Ribose moieties in hepatocyte cytoplasmic ribosomal RNA underlies the protein synthetic defect produced by CCl_4. J Cell Biol 105:705-711.

*Cohen MM. 1957. Central nervous system in carbon tetrachloride intoxication. Neurology 7:238-244.

Cohen MA, Ryan PB, Spengler JD. 1991. Source-receptor study of volatile organic compounds and particulate matter in the Kanawha Valley, WV-II. Analysis of factors contributing to VOC and particle exposures. Atmos Environ 25B:95-107.

8. REFERENCES

Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor/outdoor measurements of volatile ogranic compounds in the Kanawha Valley of West Virginia. JAPCA 39: 1086-1093.

Coleman JB, Condie LW, Lamb RG. 1988. The role of CCl_4 biotransformation in the activation of hepatocyte phospholipase C *in vivo* and *in vitro.* Toxicol Appl Pharmacol 95:208-219.

Columbano A, Ledda-Columbano GM, Ennas MG, et al. 1990. Cell proliferation and promotion of rat liver carcinogenesis: different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. Carcinogenesis 11: 77l-776.

Columbano A, Rajalaksbmi S, Sarma DSR. 1981. Requirement of cell proliferation for the initiation of liver carcinogenesis as assayed by three different procedures. Cancer Res 41:2079-2083.

Comporti M. 1989. Three models of free radical-induced cell injury. Chem Biol Interact 72:1-56.

*Conaway HB, Hoven F. 1946. Electrocardiographic changes in carbon tetrachloride poisoning. U.S. Navy Med Bull 46:593-595.

*Condie LW, Laurie RD, Mills T, et al. 1986. Effect of gavage vehicle on hepatotoxicity of carbon tetrachloride in CD-l mice:corn oil versus Tween-60 aqueous emulsion. Fundam Appl Toxicol 7: 199-206.

Connor HD, Lacagnin LB, Knecht KT, et al. 1989. Reaction of glutathione with a free radical metabolite of carbon tetrachloride. Mol Pharmacol 37:443-451.

*Connor HD, Thurman RG, Galizi MD, et al. 1986. The formation of a novel free radical metabolite from Ccl, in the perfused rat liver and *in vivo.* J Biol Chem 261:4542-4548.

*Cornish HH, Adefuin J. 1966. Ethanol potentiation of halogenated aliphatic solvent toxicity. Am Ind Hyg Assoc J 27:57-61.

*Cornish HH, Ling BP, Barth mL. 1973. Phenobarbital and organic solvent toxicity. Am Ind Hyg Assoc J 34:487-492.

Corsi RL, Chang DP, Schroeder ED, et al. 1987. Emissions of volatile and potentially toxic organic compounds from municipal wastewater treatment plants. Presented at the 80th annual meeting of the APCA (Air Pollution Control Association). New York, NY.

Cotson R, Williams T. 1982. Headspace chromatographic determination of water pollutants. Anal Chem 54:942.

*Cox RA, Derwent RG, Eggleton AEJ. 1976. Photochemical oxidation of halocarbons in the troposphere. Atmos Environ 10:305-308.

*Craddock VM, Henderson AR. 1978. De novo and repair replication of DNA in liver of carcinogen-treated animals. Cancer Res 38:2135-2143.

Criddle CS, McCarty PL. 1991. Electrolytic model system for reductive dehalogenation in aqueous environments. Environ Sci Technol 25:973-978.

Criddle CS, Dewitt JT, Grbic-Galic D, et al. 1990. Transformation of carbon tetrachloride by pseudomonas sp. strain KC under denitrification conditions. Appl Environ Microbial 56:3240-3246.

*CRISP. 1993. Computer Retrieval of Information on Scientific Projects. National Institutes of Health, Division of Research Grants. Bethesda, MD: May 15, 1993.

*Crist HL, Mitchell WJ. 1986. Field audit results with organic gas standards on volatile organic ambient air samplers equipped with Texas GC. Environmental Science and Technology 20: 1260-1262.

*Cruz C, Ibarra-Rubio ME, Pedraza-Chaverri J. 1993. Circulating levels of active, total and inactive renin (prorenin), angiotensin-I and angiotensinogen in carbon tetrachloride-treated rats. Clin Exp Pharmacol Physiol 30:83-88.

Cunnane SC. 1987. Hepatic triacylglycerol accumulation induced by ethanol and carbon tetrachloride: interactions with essential fatty acids and prostaglandins. Alcoholism Clin Exp Res 11:25-31.

8. REFERENCES

*Curtis GP, Reinhard M. 1992. Reductive dehalogenation of hexachlorethane, carbon tetrachloride and bromoform by anthrahydroquinone disulftonate and humic acid. AbstrPap Am Chem Soc 203:91

*Curtis LR, Williams WL, Mehendale HM. 1979. Potentiation of the hepatotoxicity of carbon tetrachloride following preexposure to chlordecone (Kepone) in the male rat. Toxicol Appl Pharmacol 5 1:283-293.

*Daft JL. 1989. Determination of fumigants and related chemicals in fatty and nonfatty foods. J Agric Food Chem 37:560-564.

*Daft JL. 1991. Fumigants and related chemicals in foods: review of residue findings, contamination sources and analytical methods. Sci Total Environ 100:501-5 18.

*Dambrauskas T, Cornish HH. 1970. Effect of pretreatment of rats with carbon tetrachloride on tolerance development. Toxicol Appl Pharmacol 17:83-97.

Danni 0, Aragno M, Ugazio G. 1988. In vivo studies on halogen compound interactions. Res Commun Chem Pathol Pharmacol 61: 377-390.

*Dashti HM, Al-Sayer H, Behbehani A, et al. 1992. Liver cirrhosis induced by carbon tetrachloride and the effects of superoxide dismutase and xanthine oxidase inhibitor treatment. J R Coll Surg Edinb 37:23-28.

*David A, Frantik E, Holusa R, et al. 1981. Role of time and concentration on carbon tetrachloride toxicity in rats. Int Arch Occup Environ Health 48:49-60.

*Davis DD, Schmidt JF, Neeley CM, et al. 1975. Effect of wavelength in the gas-phase photolysis of carbon tetrachloride at 253.7, 184.9, 147, and 106.7 nm. J Phys Chem 79:11-17.

*Dawkins MJR. 1963. Carbon tetrachloride poisoning in the liver of the new-born rat. J Pathol Bact 85:189-196.

*Day WW, Weiner M. 1991. Short communications: Inhibition of hepatic drug metabolism and carbon tetrachloride toxicity in Fischer-344 rats by exercise. Biochem Pharmacol 42: 181-184.

*De Castro CR, Bernacchi AS, De Ferreyra EC, et al. 1978. Carbon tetrachloride induced ultrastructural alterations in pancreatic acinar cells and in the hepatocytes. Similarities and differences. Toxicology 11:289-296.

DeGroot H, Noll T. 1989. Halomethane hepatotoxicity: induction of lipid peroxidation and inactivation of cytochrome P-450 in rat liver microsomes under low oxygen partial pressures. Toxicol Appl Pharmacol 97:530-537.

DeLorey DC, Cronn DR, Farmer JC. 1988. Tropospheric latitudinal distributions of CF_2Cl_2, $CFCl_3$, N_2O, CH_3CCl_3, and CCl_4 over the remote Pacific Ocean. Atmos Environ 22:1481-1494.

*De Toranzo EG, Diaz Gomez MI, Castro JA. 1978a. Carbon tetrachloride activation, lipid peroxidation and liver necrosis in different strains of mice. Res Commun Chem Pathol Pharmacol 19:347-352.

*De Toranzo EG, Villarruel MC, Castro JA. 1978b. Early destruction of cytochrome P-450 in testis of carbon tetrachloride poisoned rats. Toxicology 10:39-44.

*Dean BJ, Hodson-Walker G. 1979. An *in vitro* chromosome assay using cultured rat-liver cells. Mutat Res 64:329-337.

*Deer HM, McJilton CE, Harein PK. 1987. Respiratory exposure to grain inspection workers to carbon tetrachloride fumigant. Am Ind Hyg Assoc J 48:586-593.

DeLeon IR, Overton EB, Raschke CK, et al. 1980. Rapid gas chromatographic method for the determination of volatile and semivolatile organochlorine compounds in soil and chemical waste disposal site samples. J Chromatogr Sci 18:85-88.

Deliconstantinos G, Mykoniatis M, Papadimitriou D. 1986. Carbon tetrachloride modulates the rat hepatic microsomal UDP-glucuronyl transferase activity and membrane fluidity. Experientia 42:181-183.

*Della Porta GD, Terracini B, Shubik P. 1961. Induction with carbon tetrachloride of liver cell carcinomas in hamsters. J Nat1 Cancer Inst 26:855-863.

Deng JF, Wang JD, Shih TS, et al. 1987. Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and air conditioning systems in Taiwan. Am J Ind Med 12: 11-19.

*Desaiah D, Pentyala SN, Trottman CH, et al. 1991. Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. J Toxicol Environ Health 34:219-228.

*Diaz Gomez MI, Castro JA. 1980a. Covalent binding of carbon tetrachloride metabolites to liver nuclear DNA, proteins and lipids. Toxicol Appl Pharmacol 56: 199-206.

*Diaz Gomez MI, Castro JA. 1980b. Nuclear activation of carbon tetrachloride and chloroform. Res Commun Chem Pathol Pharmacol 27: 191-193.

*Diaz Gomez MI, De Castro CR, D'Acosta N, et al. 1975. Species differences in carbon tetrachloride - induced hepatotoxicity: the role of Ccl, activation and of lipid peroxidation. Toxicol Appl Pharmacol 34: 102-114.

Diaz-Munoz M, Tapia R. 1988. Glutamate decarboxylase inhibition and vitamin B6 metabolism in brain of cirrhotic rats chronically treated with carbon tetrachloride. J Neurosci Res 20:376-382.

*Dickens BF. 1991. Free radical mechanisms of xenobiotic mammalian cytotoxicities. Washington, DC: The George Washington University Medical Center.

*Dilling WL. 1977. Interphase transfer processes. II. Evaporation of chloromethanes, ethanes, propanes and polypropylenes from dilute aqueous solutions. Comparisons with theoretical predictions. Environ Sci Technol 11:405-409.

*Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1, 1, 1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in aqueous solutions. Environ Sci Technol 9:833-838.

DiSilvestro RA, Carlson GP. 1990. Effects of moderate copper deficiency on carbon tetrachlorideinduced hepatotoxicity in rats. Society for Experimental Biology and Medicine 32-35.

*DiSilvestro RA, Medeiros DM. 1992. Low and marginal copper intake by postweaning rats: effects on copper status and resistance to carbon tetrachloride hepatotoxicity. Metabolism 41:1122-1124.

Dittman EC, Etschenberg E. 1973. Endoanesthetic and narcotic activity of halogenated methane derivatives. Eur J Pharmacol 24: 389-398.

*Docherty JF, Burgess E. 1922. The action of carbon tetrachloride on the liver. Br Med J 2:907-908.

*Docherty JF, Nicholls L. 1923. Report of three autopsies following carbon tetrachloride treatment. Br Med J 2:753.

Dogterom P, Nagelkerke JF, van Steveninick J, et al. 1988. Inhibition of lipid peroxidation by disulfiram and diethydithiocarbamate does not prevent hepatotoxin-induced cell death in isolated rat hepatocytes. A study with ally1 alcohol, tert-butyl hydroperoxide, diethyl maleate, bromoisovalerylurea and carbon tetrachloride. Chem Biol Interact 66:251-265.

*Doi K, Kurabe S, Shimazu N, et al. 1991. Systemic histopathology of rats with CCI_4-induced hepatic cirrhosis. Lab Anim 25:21-25.

Dolak JA, Britton RS, Glende EA, et al. 1987. Chlordecone does not interfere with hepatic repair after carbon tetrachloride or partial hepatectomy. J Biochem Toxicol 2:57-66.

Dolak JA, Waller RL, Glende EA, et al. 1988. Liver cell calcium homeostasis in carbon tetrachloride liver cell injury: new data with Fura2[1]. J Biochem Toxicol 3:329-342.

8. REFERENCES

Doolittle DJ, Muller G, Scribner HE. 1987. Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. J Toxicol Environ Health 22:63-78.

*Doong RA, Wu SC. 1992. Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions. Chemosphere 24: 1063- 1075.

Dowty DC, Laseter JL, Storer J. 1975. Halogenated hydrocarbons in New Orleans drinking water and blood plasma. Science 187:75-77.

*Dragiani TA, Manenti G, Porta GD. 1986. Enhancing effects of carbon tetrachloride in mouse hepatocarcinogenesis. Cancer Lett 31: 171-179.

*Driscoll TR, Hamdan HH, Wang G, et al. 1992. Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. Br J Ind Med 49:700-705.

Drotman RB, Lawhorn GT. 1978. Serum enzymes as indicators of chemically induced liver damage. Drug Chem Toxicol 1:163-171.

Durk H, Klessen C, Frank H. 1987. Tetrachloromethane metabolism in vivo under normoxia and hypoxia:biochemical and histopathological effects relative to alkane exhalation. Arch Toxicol 60:115-121.

*Durden WD Jr., Chipman DW. 1967. Gasoline sniffing complicated by acute carbon tetrachloride poisoning. Arch Intern Med 119:371-374.

Edgerton SA, Holdren MW, Smith DL, et al. 1989. Inter-urban comparison of ambient volatile organic compound concentrations in U.S. cities. JAPCA 39:729-732.

Edwards JE. 1941. Hepatomas in mice induced with carbon tetrachloride. J Natl Cancer Inst 2: 197-199.

*Edwards J, Heston WE, Dalton AJ. 1942. Induction of the carbon tetrachloride hepatoma in strain L mice. J Nat1 Cancer Inst 3:297-301.

Edwards EA, Liang LN, Grbic-Galic D. 1993. Anaerobic microbial transformation of aromatic hydrocarbons and mixtures of aromatic hydrocarbons and halogenated solvents. Stanford, CA: Environmental Engineering and Science program, Department of Civil Engineering.

Egli C, Tschan T, Scholtz R, et al. 1988. Transformation of tetrachloromethane to dichloromethane and carbon dioxide by *acetobacterium woodii.* Appl Environ Microbial 54:2819-2824.

*Eichelberger JW, Budde WL. 1989a. Method 524.1. Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

*Eichelberger JW, Budde WL. 1989b. Method 524.2. Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

*Eichelberger JW, Bellar TA, Donnelly JP, et al. 1990. Determination of volatile organics in drinking water with USEPA method 524.2 and the ion trap detector. J Chromatog Sci 28:460-467.

*Elkins HB. 1942. Maximal allowable concentrations. II. Carbon tetrachloride. J Ind Hyg Toxicol 24:233-235.

*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: diagnosis and treatment of human poisoning. New York, NY: Elsevier, 969-972.

*Endou H, Koseki C, Hasmura S, et al. 1982. Renal cytochrome P-450: Its localization along a single nephron and its induction. In: Morel F, ed. Biochemistry of kidney functions. INSERM Symposium No. 21 a Elsevier Biomedical Press B.V. 319-327.

*EPA. 1975. Preliminary assessment of suspected carcinogens in drinking water: interim report to the Congress. Washington, DC: U.S. Environmental Protection Agency.

*EPA. 1980a. U.S. Environmental Protection Agency. Federal Register. 45:33084-33133.

EPA. 1980b. Volatile organic compounds by purge and trap isotope dilution GC-MS method 1624. Washington, DC: U.S. Environmental Protection Agency.

*EPA. 1980c. U.S. Environmental Protection Agency. Federal Register. 45:79318.

EPA. 1980d. U.S. Environmental Protection Agency. Federal Register 45:79347-79357.

EPA. 1981a. Carbon tetrachloride. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. September 11, 1981.

EPA. 1981b. Treatability Manual. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/2-82-001 A.

*EPA. 1982a. Purgeable halocarbons-method 601. Methods for organic chemical analysis of municipal and industrial wastewater. U.S. Environmental Protection Agency, 601-1 to 601-10.

*EPA. 1982b. Purgeables-method 624. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Support Laboratory. 624-l to 624-12.

*EPA. 1984. Health assessment document for carbon tetrachloride. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/8-82-00lF.

*EPA. 1985a. Assessment of the mutagenic potential of carbon disulfide, carbon tetrachloride, dichloromethane, ethylene dichloride and methyl bromide: a comparative analysis in relation to ethylene dibromide. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/6-85/001.

*EPA. 1985b. U.S. Environmental Protection Agency. Federal Register. 50:FR 32621-32627.

*EPA. 198%. U.S Environmental Protection Agency. Part II. Federal Register. 50: 13456-13522.

EPA. 1985d. Final draft criteria document for carbon tetrachloride. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

*EPA. 1985e. U.S. Environmental Protection Agency. Part III. Federal Register. 50:46880-46901.

*EPA. 1985f. Survey of carbon tetrachloride emission sources. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA-450/3-85-018.

*EPA. 1986a. Gas chromatography/mass spectrometry for volatile organics-method-8240. Test methods for evaluating solid waste. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8240-l to 8240-40.

*EPA. 1986b. Halogenated volatile organics-method 8010. Test methods for evaluating solid waste. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8010-1 to 8010-13.

*EPA. 1986c. U.S. Environmental Protection Agency. Federal Register. 51:41004.

EPA. 1986d. Reference values for risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. ECAO-CIN-477.

*EPA. 1987a. U.S. Environmental Protection Agency. Federal Register. 50:8140.

EPA. 1987b. Health advisory for carbon tetrachloride. Washington DC: U.S. Environmental Protection Agency, Office of Drinking Water. March 31.

*EPA. 1987c. U.S. Environmental Protection Agency. Part II. Federal Register. 52:25942-25953.

*EPA. 1987d. U.S. Environmental Protection Agency. Part II. Federal Register. 52:25690-25717.

*EPA. 1987e. U.S. Environmental Protection Agency. Part II. Federal Register. 52:47495-47519.

EPA. 1988a. Evaluation of the potential carcinogenicity of carbon tetrachloride (56-23-5). Final Report. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. OHEA-C-073-50.

*EPA. 1988b. U.S. Environmental Protection Agency. Part II. Federal Register 53:4500-4501.

*EPA. 1989a. Interim Methods for Development of Inhalation Reference Doses, EPA/600/8-88/066F, August, 1989.

*EPA. 1989b. Health effects assessment for carbon tetrachloride. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, EPA/600/8-89/088.

*EPA. 1989c. Federal Register, Vol. 54, No. 155 33418, 33453.

*EPA. 1990. Toxics in the community. 1988 national and local perspectives. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances Economics and Technology Division.

*EPA. 1991. U.S. Environmental Protection Agency. Toxics in the community. National and local perspectives. Washington, DC: Office of Toxic Substances. EPA 560/4-91-014.

*Eschenbrenner AB, Miller E. 1944. Studies on hepatomas -- Size and spacing of multiple doses in the induction of carbon tetrachloride hepatomas. J Nat1 Cancer Inst 4:385-388.

*Eschenbrenner AB, Miller E. 1946. Liver necrosis and the induction of carbon tetrachloride hepatomas in strain A mice. J Nat1 Cancer Inst 6:325-341.

Esparza RJ, Mahmood RJ, Sedman RM. 1991. Hazardous waste incineration: a correlation of operating parameters with risk and emission rates. Waste Management. 11:163-170.

*Farrell CL, Senseman LA. 1944. Carbon tetrachloride polyneuritis. A case report. RI Med J 27:334, 346.

*FDA. 1970. Food and Drug Administration. Part 191-Hazardous substances: definitions and procedural and interpretive regulations. Carbon tetrachloride: findings of fact and conclusions and final order regarding classification as banned hazardous substance. Federal Register. 35:13198-13205.

*Fischer-Nielsen A, Poulsen HE, Hansen BA, et al. 1991. Ccl, cirrhosis in rats: irreversible histological changes and differentiated functional impairment. J Hepatol 12: 110-117.

Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: criteria for skin notation. Am J Ind Med 17:617-635.

*Folland DS, Schaffner W, Ginn EH, et al. 1976. Carbon tetrachloride toxicity potentiated by isopropyl alcohol. J Am Med Assoc 236: 1853-1856.

*Fowler JSL. 1969. Carbon tetrachloride metabolism in the rabbit. Br J Pharmacol 37:733-737.

Foxell AWH. 1951. Three cases of carbon tetrachloride poisoning with one fatality. Br Med J 1:397.

Frank H, Frank W. 1988. Quantitative determination of airborne C_1 and C_2-halocarbons by GC/ECD. Journal of High Resolution Chromatography and Chromatography Communications : 51-56.

*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee. March, 1988.

Fukai F, Nishizawa S, Kurano M, et al. 1989. Carbon tetrachloride-induced alteration of glutathione S-transferase in rat liver cytosol and plasma. J Clin Biochem Nutr 6:175-185.

*Galbally IE. 1976. Man-made carbon tetrachloride in the atmosphere. Science 193:573-576.

Galli R, McCarty PL. 1989. Biotransformation of 1,1,1-trichloroethane, trichloromethane, and tetrachloromethane by a *clostridium sp.* Appl Environ Microbial 55:837-844.

*Gardner GH, Gove RC, Gustafson RK, et al. 1925. Studies on the pathological histology of experimental carbon tetrachloride poisoning. Bulletin of Johns Hopkins Hospital 36:107-133.

Garcia C, Tiedra G, Ruano A, et al. 1992. Evaluation of the liquid-liquid extraction technique and application to the determination of volatile halo-organic compounds in chlorinated water. J Chromatogr 605:251-255.

*Gargas ML, Andersen ME, Clewell III HJ. 1986. A physiologically based simulation approach for determining metabolic constants from gas uptake data. Toxicol Appl Pharmacol 86:341-352.

*Garner RC, McLean AEM. 1969. Increased susceptibility to carbon tetrachloride poisoning in the rat after pretreatment with oral phenobarbitone. Biochem Pharmacol 18:645-650.

*Garry VF, Nelson RL, Griffith J, et al. 1990. Preparation for human study of pesticide applicators: sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants. Teratogenesis Carcinog Mutagen 10:21-29.

Germolec DR, Yang RS, Ackermann MF, et al. 1989. Toxicology studies of a chemical mixture of 25 groundwater contaminants. II. Immunosuppression in B6C3F1 mice. Fund Appl Toxicol 13:377-387.

*Gillespie WR, Cheung LL, Kim HJ, et al. 1990. Application of system analysis to toxicology: Characterization of carbon tetrachloride oral absorption kinetics. In: Gentry TR, Henry CJ, eds. Principles of route-to-route extrapolations for risk assessment. Elsevier Science Publishing Company.

*Gilman MR. 1971. A preliminary study of the teratogenic effects of inhaled carbon tetrachloride and ethyl alcohol consumption in the rat. Dissertation. Philadelphia, PA: Drexel University.

*Glende EA. 1972. Carbon tetrachloride-induced protection against carbon tetrachloride toxicity. The role of the liver microsomal drug-metabolizing system. Biochem Pharmacol 21: 1697- 1702.

Glende EA, Pushpendran CK. 1986. Activation of phospholipase A2 by carbon tetrachloride in isolated rat hepatocytes. Biochem Pharmacol 35:3301-3307.

*Glende EA, Recknagel RO. 1991. An indirect method demonstrating that CCl_4dependent hepatocyte injury is linked to a rise in intracellular calcium ion concentration. Res Commun Chem Pathol Pharmacol 73:41-52.

*Glende EA, Recknagel RO. 1992. Phospholipase A, activation and cell injury in isolated rat hepatocytes exposed to bromotrichloromethane, chloroform, and 1, 1-dichloroethylene as compared to effects of carbon tetrachloride. Toxicol Appl Pharmacol 113:159-162.

*Glende EA Jr., Hruszkewycz AM, Recknagel RO. 1976. Critical role of lipid peroxidation in carbon tetrachloride-induced loss of aminopyrine demethylase, cytochrome P-450 and glucose 6-phosphatase. Biochem Pharmacol 25:2163-2170.

Golderman L, Gellert J, Teschke R. 1983. Methods and Devices. Quantitative assessment of carbon tetrachloride levels in human blood by head-space gas chromatography: application in a case of suicidal carbon tetrachloride intoxication. Intensive Care Medicine 9: 13 1-135.

Goldsmith LB, Friberg SE, Wahlberg JE. 1988. The effect of solvent extraction on the lipids of the stratum corenum in relation to observed immediate whitening of the skin. Contact Dermatitis 19:348-350.

*Gordon AJ. 1944. Uremia following inhalation of carbon tetrachloride. J Mt Sinai Hosp NY 10:792-795.

*Gosselin RE, Hodge HC, Smith RP, Gleason MN, eds. 1976. Clinical toxicology of commercial products. Acute poisoning. 4th ed., Baltimore, MD: The Williams and Wilkins Co. 13, 92-97, 110.

*Gould VE, Smuckler EA. 1971. Alveolar injury in acute carbon tetrachloride intoxication. Arch Intern Med 128:109-117.

Grant WB, Kagann RH, McClenny WA. 1992. Optical remote measurement of toxic gases. J Air Waste Manage Assoc 42: 18-30.

*Gray I. 1947. Carbon tetrachloride poisoning -- Report of seven cases with two deaths. NY State J Med 47:2311-2315.

*Gryder-Boutlet DE, Kennish JM. 1988. Using headspace sampling with capillary column GC-MS to analyze trace volatile organics in water and wastewater. Journal of the American Water Works Assocation. October. 52-55.

Guengerich FP, Kim DH, Iwasaki M. 1991. Role of human cytochrome P-450 BE1 in the oxidation of many low molecular weight cancer suspects. Chem Res Toxicol 5:168-179.

*Guide DM, McKenna R, Mathews WR. 1993. Quantitation of hydroperoxy-eicosatetraenoic acids and hydroxy-eicosatetraenoic acids as indicators of lipid peroxidation using gas chromatography-mass spectrometry. Anal Biochem 209: 123-129.

*Guild WR, Young JV, Merrill JP. 1958. Anuria due to carbon tetrachloride intoxication. Ann Intern Med 48: 1221-1227.

*Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1218-1219, 1257-1259.

*Hafeman DG, Hoekstra WG. 1977. Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. J Nutr 107:656-665.

*Hall MC. 1921. The use of carbon tetrachloride for the removal of hookworms. J Am Med Assoc 7731641-1643.

*Hall P dela M, Plummer JL, Ilsley AH, et al. 1990. Hepatic fibrosis and cirrhosis after chronic administration of alcohol and “low-dose” carbon tetrachloride vapor in the rat. Hepatology 13:815-819.

Hammock BD, Gee SJ, Cheung PYK, et al. 1987. Utility of immunoassay in pesticide trace analysis. In: Greenhalgh R, Roberts TR, eds. Pesticide Science and Biotechnology. New York, NY: Blackwell Scientific Publications.

*Hanasono GK, Cote MG, Plaa GL. 1975. Potentiation of carbon tetrachloride-induced hepatotoxicity in alloxan- or streptozotoxin-diabetic rats. J Pharmacol Exp Therap 192:592-604.

*Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons. 25-26, 171-180.

Hanst PL. 1978. Part II: Halogenated pollutants. Noxious trace gases in the air. Chemistry 51:6-12.

Hardell L. Eriksson M, Lenner P, et al. 1981. Malignant lymphoma and exposure to chemicals especially organic solvents, chlorophenols and phenoxy acids:a case-control study. Br J Cancer 43:169-176.

*Hardin BL. 1954. Carbon tetrachloride poisoning. A review. Ind Med Surg 23:93-105.

Harms MS, Peterson RE, Fujimoto JM, et al. 1976. Increased “bile duct--pancreatic fluid” flow in chlorinated hydrocarbon-treated rats. Toxicol Appl Pharmacol 35:4 l-49,

Harris L, Morris LE, Farber E. 1989. Protective value of a liver initiation-promotion regimen against the lethal effect of carbon tetrachloride in rats. Lab Invest 61:467-470.

*Harris RN, Anders MW. 1980. Effect of fasting, diethyl maleate and alcohols on carbon tetrachloride-induced heptotoxicity. Toxicol Appl Pharmacol 56: 191-198.

Harris RN, Ratnayake JH, Garry VF, et al. 1982. Interactive hepatotoxicity of chloroform and carbon tetrachloride. Toxicol Appl Pharmacol 63:281-291.

Hatch GE, Santrock J, Slade R, et al. 1988. Detection of CCl_4-induced oxidation of hepatic tissue *in vivo* by oxygen- 18 tracing. Toxicol Appl Pharmacol 93 : 81-88.

*Hawthorne SB. 1988. Workshop on supercritical fluid chromatography. American Laboratory *6-8.*

*Hayes JR, Condie LW, Borzelleca JF. 1986. Acute, 14-day repeated dosing, and go-day subchronic toxicity studies of carbon tetrachloride in CD-l mice. Fund Appl Toxicol 7:454-463.

*HazDat. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. October, 1993.

Hazle JD, Narayana PA, Dunsford HA. 1991. *In vivo* NMR, biochemical, and histologic evaluation of alcohol-induced fatty liver in rat and a comparison with CCl_4 hepatotoxicity. Magn Reson Med 19: 124-135.

*Heimann H, Ford CA. 1941. Low concentration of carbon tetrachloride capable of causing mild narcosis. Ind Bull 20, July-August.

*Hellmer L, Bolcsfoldi G. 1992. An evaluation of the *E. coli* K-12 *uvrB/recA* DNA repair hostmediated assay. I*. In vitro* sensitivity of the bacteria to 61 compounds. Mutat Res 272:145-160.

Henschler D, Elsasser H, Romen W, et al. 1984. Carcinogenicity study of trichloroethylene with and without epoxide stabilizers, in mice. J Cancer Res Clin Oncol 107:149-156.

Hernberg S, Kauppinen T, Riala R, et al. 1988. Increased risk for primary liver cancer among women exposed to solvents. Stand J Work Environ Health 14:356-365.

8. REFERENCES

*Hernandez-Munoz R, Diaz-Munoz M, Chagoya de Sanchez V. 1992. Effects of adenosine adiministration on the function and membrane composition of liver mitochondria in carbon tetrachloride-induced cirrhosis. Arch Biochem Biophys 294: 160- 167.

Herzfeld D, van der Gun K, Louw R. 1988. Quantitative determination of volatile organochlorine compounds in water by GC-headspace analysis with dibromomethane as an internal standard. Chemosphere 1425-1430.

*Ho JS. 1989. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

*Hollinger MA. 1982. Biochemical evidence for pulmonary endothelial cell injury after carbon tetrachloride administration in mice. J Pharmacol Exp Therap 222:641-4.

*Howard PH. (ed). 1990. Handbook of environmental fate and exposure data. Vol. II. Chelsea, MI. Lewis Publishers, Inc., 85-91.

*Howard PH, Boethling RS, Jarvis WF, et al. (ed). 1991. Handbook of environmental degradation rates. Chelsea, MI Lewis Publishers, Inc., 34-35.

*HSDB. 1992. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. April 14, 1992.

*HSDB. 1993. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program. Bethesda, MD. June 1993.

Huang YS, Deng JF, Wang JD, et al. 1987. [Clinical manifestations and laboratory findings of cases in an outbreak of carbon tetrachloride-induced hepatic injury at a printing factory.] (Abstract) [Japanese] 86:743-749.

Huber M, Estermann G, Bonn G. 1988. Analysis of volatile halogenated hydrocarbons on the ppq scale. Fresenius Z Anal Chem 331:486-489.

*Hughes CS. 1985. Chlorinated methanes. In: Chemical economics handbook. Menlo Park, CA: SRI International.

*Hughes HM, George IM, Evans JC, et al. 1991. The role of the liver in the production of free radicals during halothane anaesthesia in the rat. Biochem J 277:795-800.

*IARC. 1979. Evaluation of the carcinogenic risk of chemicals to humans. Lyon, France: International Agency for Research on Cancer, October 1979, 20:371-399.

*IARC. 1982. IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Chemicals, industrial processes and industries associated with cancer in humans. IARC Monographs, Volumes 1 to 29, Supplement 4. Lyon, France: International Agency for Research on Cancer.

*IARC. 1987. IARC Monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC Monographs volumes 1 to 42, Supplement 7. Lyon, France: International Agency for Research on Cancer.

*Ikatsu H, Nakajima T. 1992. Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. Arch Toxicol 66:580-586.

*Ikatsu H, Okino T, Nakajima T. 1991. Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. Br J Ind Med 48:636-642.

Infante FI, Marlow PB. 1980. Evidence for the carcinogenicity of selected halogenated hydrocarbons included ethylene dichloride. Banbury Rep 5:287-308.

Ingall A, Lott KAK, Slater TF. 1978. Metabolic activation of carbon tetrachloride to a free-radical product study using a spin trap. Biochem Sot Trans 6:962-964.

*IRIS. 1993. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency.

*Ishiki Y, Ohnishi H, Muto Y, et al. 1992. Direct evidence that hepatocyte growth factor is a hepatotrophic factor for liver regeneration and has a potent antihepatitis effect *in vivo.* Hepatology 16: 1227-1235.

*Itoh S, Yamaba Y, Matsuo S, et al. 1985. Early changes in the levels of serum triiodothyronine (T3), thyroxine (T4), T3/T4 ratio and microsomal carboxylesterase activity in rats following treatment with CCI_4,. Res Commun Chem Pathol Pharmacol 49:447-450.

Iwamoto K, Watanaba J, Araki K, et al. 1985. Reduced hepatic clearance of propranolol induced by chronic carbon tetrachloride treatment in rats. J Pharmacol Exp Ther 234:470-475.

*Jiang Z, You Dy, Chen XC, et al. 1992. Monitoring of serum markers for fibrosis during CCI_4-induced liver damage. J Hepatol 16:282-289.

*Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anethetized guinea pigs. Tox Appl Pharmacol 63:181-187.

Janzen EG, Towner RA, Brauer M. 1988. Factors influencing the formation of the carbon dioxide radical anion (CO2 -) spin adduct of PBN in the rat liver metabolism of halocarbons. Free Radic Res Commun 4:359-369.

Janzen EG, Towner RA, Haire DL. 1987. Detection of free radicals generated from the *in vitro* metabolism of carbon tetrachloride using improved esr spin trapping techniques. Free Radic Res Commun 3:357-364.

Javier Perez A, Courel M, Sobrado J, et al. 1987. Acute renal failure after topical application of carbon tetrachloride. Lancet 515-516.

Jeffers PM, Ward LM, Woytowitch LM, et al. 1989. Homogeneous hydrolysis rate constants for selected chlorinated methanes, ethanes, ethenes, and propanes. Environ Sci Technol 23 :965-969.

*Jennings RB. 1955. Fatal fulminant acute carbon tetrachloride poisoning. Arch Pathol 59:269-284.

Jennings RB, Kearns WM. 1953. Necronizing nephrosis in the rat following administration of carbon tetrachloride. Arch Pathol 56:348-359.

Johns R. 1976. Air pollution assessment of carbon tetrachloride. Mitre Technical Report No. MTR-7144, McLean, VA: Mitre Corp.

*Johnson SJ, Hines JE, Burt AD. 1992. Macrophage and perisinusoidal cell kinetics in acute liver rinjury. J Pathol 166:351-358.

*Johnstone RT. 1948. Occupational medicine and industrial hygiene. St. Louis, MO: CV Mosby Co., 148-158.

*Joly JG, Villeneuve JP, Marier P. 1977. Chronic ethanol administration induced a form of cytochrome P-450 with specific spectral and catalytic properties. Alcoholism 1: 17-25.

Jorgenson TA, Meierhenry EF, Rushbrook CJ, et al. 1985. Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3Fl mice. Fund Appl Toxicol 5:760-769.

Joron GE, Hollenberg CH, Bensley EH. 1957. Carbon tetrachloride -- an underrated hazard. Can Med Assoc J 763:173-175.

Kalf GF, Post GB, Snyder R. 1987. Solvent toxicology: Recent advances in the toxicology of benzene, the glycol ethers and carbon tetrachloride. Ann Rev Pharmacol Toxicol 27:399-427.

*Kalla NR, Bansal MP. 1975. Effect of carbon tetrachloride on gonadal physiology in male rats. Acta Anat 91:380-385.

*Kaminski NE, Stevens WD. 1992. The role of metabolism in carbon tetrachloride-mediated immunosuppression. *In vitro* studies. Toxicology 75: 175-188.

*Kaminski NE, Barnes DW, Jordan SD, et al. 1990. The role of metabolism in carbon tetrachloride-mediated immunosuppression: *in viva* studies. Toxicol Appl Pharmacol 102:9-20.

*Kaminski NE, Jordan SD, Holsapple MP. 1989. Suppression of humoral and cell-mediated immune responses by carbon tetrachloride. Fund Appl Toxicol 12: 117-128.

Kanta J, Kvasnickova E, Bartos F. 1992. Prolonged reduction of hepatocyte proliferative ability in rats after a single treatment with carbon tetrachloride. Int J Exp Path 73:21-26.

Kaphalia BS, Ansari GA. 1989. Covalent modification of hepatic microsomal lipids of rats by carbon tetrachloride. Mol Toxicol 2:199-2 13.

*Katami T, Nisikawa H, Yasuhara A. 1992. Emission of chlorinated compounds by combustion of waste dry-cleaning materials. Chemosphere 24:343-349.

Kato H, Nakazawa Y. 1987. The effect of carbon tetrachloride on the enzymatic hydrolysis of cellular triacylglycerol in adult rat hepatocytes in primary monolayer culture. Biochem Pharmacol 36: 1807-1814.

Kato K, Kawai T, Fujii M, et al. 1985. Enhancing effect of preadministration of carbon tetrachloride on methylazoxymethanol acetate-induced intestinal carcinogenesis. J Toxicol Sci 10:289-293.

*Kazantzis G, Bomford RR. 1960. Dyspepsia due to inhalation of carbon tetrachloride vapor. Eancet, February 13, 360-362.

Kefalas v, Stacey NH. 1989. Potentation of carbon tetrachloride-induced lipid peroxidation by trichloroethylene in isolated rat hepatocytes: no role in enhanced toxicity. Toxicol Appl Pharmacol 101:158-169.

Kefalas V, Stacey NH. 1991. Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. Toxicol Appl Pharmaol 109: 171-179.

*Kenaga EE. 1980. Predicted biconcentration factors and soil absorption coefficients of pesticides and other chemicals. Ecotoxicol Environ Safety 4:26-38.

Kenel MF, Kulkarni AP. 1985a. Ethanol potentiation of carbon tetrachloride hepatotoxicity : possible role for the *in vivo* inhibition of aldehyde dehydrogenase. Gen Pharmacol 16:355-360.

Kenel MF, Kulkarni AP. 1985b. Inhibition of hepatic aldehyde dehydrogenase by carbon tetrachloride: an in vitro study. Int J Biochem 17:605-610.

Kennedy GL, Graepel GJ. 1991. Acute toxicity in the rat following either oral or inhalation exposure. Toxicol Lett 56:317-326.

*Kerfoot HB. 1990. Soil-gas surveys for detection and delineation of groundwater contamination. Trends in Analytical Chemistry 9:157-163.

*Kim HJ, Bruckner JV, Dallas CE, et al. 1990a. Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. Toxicol Appl Pharmacol 102: 50-60.

*Kim HJ, Odendhal S, Bruckner JV. 1990b. Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. Toxicol Appl Pharmacol 102:34-49.

Kim YK. 1988. Hypogonadism in hepatic failure. Nishinihon Journal of Urology 50:1-6.

*Kittleson KD, Borden CW. 1956. Acute renal failure due to carbon tetrachloride poisoning. Northwestern University Medical School Magazine 30: 117-123.

Klaassen CD, Plaa GL. 1966. Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. Toxicol Appl Pharmacol 9: 139-151.

*Klaunig JE, Ruth RJ, Pereira MA. 1986. Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. Environ Health Perspect 69:89-95.

Kliest J, Fast T, Boley JS. 1989. The relationship between soil contaminated with volatile organic compounds and indoor air pollution. Environment International 15:419-425.

*Kluwe WM. 1981. The nephrotoxicity of low molecular weight halogenated alkane solvents, pesticides and chemical intermediates. Toxicol Kidney 179-226.

*Kluwe WM, Herrmann CL, Hook JB. 1979. Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. J Toxicol Environ Health 5:605-615.

Knecht KT, Mason RP. 1988. In viva radical trapping and biliary secretion of radical adducts of carbon tetrachloride-derived free radical metabolites. Drug Metab Dispos 16:813-817.

*Knecht KT, Mason RP. 1991. The detection of halocarbon-derived radical adducts in bile and liver of rats. Drug Metab Dispos 19:325-331.

*Kniepert E, Siegemund A, Gorisch V. 1990. Influence of ethanol pretreatment of differing duration on toxic effects of carbon tetrachloride in rats. Biomed Biochim Acta 49: 1097-1102.

*Kniepert E, Siegemund A, Rosenkranz M, et al. 1991. Toxic effects of carbon tetrachloride during short and long term ethanol intake in rats. Arch Toxicol Suppl 14:263-265.

Kodavanti PR, Joshi UM, Mehendale HM. 1989a. Chlordecone (Kepone)-potentiated carbon tetrachloride hepatotoxicity in partially hepatectomized rats - a histomorphometric study. J Appl Toxicol 9: 367-375.

Kodavanti PR, Joshi UM, Young RA, et al. 1989b. Protection of hepatotoxic and lethal effects of CCl_4, by partial hepatectomy. Toxicol Pathol 17:494-505.

Kodavanti PR, Joshi UM, Young RA, et al. 1989c. Role of hepatocellular regeneration in chlordecone potentiated hepatotoxicity of carbon tetrachloride. Arch Toxicol 63:367-375.

Kodavanti PR, Kodavanti UP, Mehendale HM. 1990a. Altered hepatic energy status in chlordecone (Kepone)-potentiated Ccl, hepatotoxicity. Biochem Pharmacol 40:859-866.

*Kodavanti PR, Kodavanti UP, Mehendale HM. 1990b. Carbon tetrachloride-induced alterations of hepatic calmondulin and free calcium levels in rats pretreated with chlordecone. Hepatology 9:230-238.

*Kodavanti PR, Kodavanti UP, Faroon OM, et al. 1992. Pivotal role of hepatocellular regeneration in the ultimate hepatotoxicity of CCI_4, in chlordecone-, mirex, or phenobarbital-pretreated rats. Toxicol Pathol 20:556-569.

*Kodavanti PR, Rao VC, Mehendale HM. 1993. Loss of calcium homeostatis leads to progressive phase of chloredecone-potentiated carbon tetrachloride hepatotoxicity. Toxicol Appl Pharmacol 122:77-87.

*Kohno H, Hoshino Y, Katoh S, et al. 1992. Effect of retinoic acid on liver transglutaminase activity and carbon tetrachloride-induced liver damage in mice. Experientia 48:386-388.

*Korsrud GO, Grice HC, McLaughlan JM. 1972. Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. Toxicol Appl Pharmacol 22:474-483.

*Kostyuk VA, Potapovich AI. 1991. Damage of rat liver microsomal mixed function oxidase system by carbon tetrachloride *in vivo* study with selective inhibitor of lipid peroxidation. Biochemistry International 25: 349-353.

Kravetz D, Bosch J, Arderiu M, et al. 1989. Hemodynamic effects of blood volume restitution following a hemorrhage in rats with portal hypertension due to cirrhosis of the liver: Influence of the extent of portal-systemic shunting. Hepatology 9:808-814.

Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. Bull Environ Contam Toxicol 44:917-923.

*Kronevi T, Wablberg J, Holmberg B. 1979. Histopathology of skin, liver, and kidney after epicutaneous administration of five industrial solvents to guinea pigs. Environ Res 19:56-69.

Kubic VL, Anders MW. 1980. Metabolism of carbon tetrachloride to phosgene. Life Sci 26:2151-2155.

LaCagnin LB, Connor HD, Mason RP, et al. 1987. The carbon dioxide anion radical adduct in the perfused rat liver: relationship to halocarbon-induced toxicity. Mol Pharmacol 33: 35 l-257.

Lachnit V, Pietschmann H. 1960. Activity of serum glutamic-oxaloacetic transaminase and aldolase in workers exposed to halogenated hydrocarbons. Ind Med Surg 29:523-526.

*Lai EK, McCay PB, Noguchi T, et al. 1979. *In vivo* spin-trapping of trichloromethyl radicals formed from Carbon tetrachloride. Biochem Pharmacol 28:223 l-2235.

Lamb RG, Borzelleca JF, Condie LW, et al. 1989. Toxic interactions between carbon tetrachloride and chloroform in cultured rat hepatocytes. Toxicol Appl Pharmacol 101:106-113.

*Lamson PD, Minot AS, Robbins BH. 1928. The prevention and treatment of carbon tetrachloride intoxication. J Am Med Assoc 90:345-346.

*LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. Environmental Progress 5:18-27.

*Larsen T, Kjeldsen P, Christensen TH. 1992. Sorption of hydrophobic hydrocarbons on three aquifer materials in a flow through system. Chemosphere 24:439-451.

*Leach CN. 1922. Carbon tetrachloride in the treatment of hookworm disease. J Am Med Assoc 78:1789-1790.

Ledda-Columbano GM, Columbano A, Coni P, et al. 1987. Liver cell proliferation induced by the mitogen ethylene dibromide, unlike compensatory cell proliferation, does not achieve initiation of rat liver carcinogenesis by diethylnitrosamine. Cancer Lett 36:247-252.

8. REFERENCES

*Lehmann KB, Schmidt-Kehl L. 1936. The thirteen most important chlorinated aliphatic hydrocarbons from the standpoint of industrial hygiene. Arch Hygiene 116:132-200.

*Letkiewicz F, Johnston P, Macaluso C, et al. 1983. Carbon tetrachloride; occurrence in drinking water, food and air. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

Leung HW. 1991. Development and utilization of physiologically based pharmacokinetic models for toxicological applications. J Toxicol Environ Health 32:247-267.

Lide DR. 1993. CRC handbook of chemistry and physics. 73rd ed. CRC Press, Inc.

*Lillian D, Singh HB, Appleby A, et al. 1975. Atmospheric fates of halogenated compounds. Environ Sci Technol 9: 1042- 1048.

Lindroos PM, Zarnegar R, Michalopoulos GK. 1990. Hepatocyte growth factor (hepatopoietin A) rapidly increases in plasma before DNA synthesis and liver regeneration stimulated by partial hepatectomy and carbon tetrachloride administration. Hepatology 13 :743-750.

Litterst CL, Farber TM, Van Loon EJ. 1973. Potentiation of Carbon tetrachloride-induced hepatotoxicity in the dog by chronic exposure to phenobarbital. Toxicol Appl Pharmacol 24:354-362.

Lloyd SA, Franklin MR. 1991. Modulation of carbon tetrachloride hepatoxicity and xenobioticmetabolizing
enzymes by corticosterone pretreatment, adrenalectomy and sham surgery. Toxicol Lett 55:65-75.

Lombardi B, Ove P, Reddy TV. 1985. Endogenous hepatic growth-modulating factors and effects of a choline-devoid diet and of phenobarbital on hepatocarcinogensis in the rat. Nutr Cancer 7: 145-154.

*Long RM, Moore L. 1986a. Elevated cytosolic calcium in rat hepatocytes exposed to carbon tetrachloride. J Pharmacol Exp Ther 238: 186-191,

*Long RM, Moore L. 1986b. Inhibition of liver endoplasmic reticulum calcium pump by CCl_4 and release of a sequestered calcium pool. Biochem Pharmacol 35:4131-4137.

Long RM, Moore L. 1987. Cytosolic calcium after carbon tetrachloride, 1 ,1-dichloroethylene, and phenylephrine exposure. Studies in rat hepatocytes with phosphorylase and quin2. Biochem Pharmacol 36: 1215-1221.

Long RM, Moore L. 1988. Biochemical evaluation of rat hepatocyte primary cultures as a model for carbon tetrachloride in rats based on arterial blood:inhaled air concentration ratios. Toxicol Appl Pharmacol 92:295-306.

*Long RM, Moore L, Schoenberg DR. 1989. Halocarbon hepatotoxicity is not initiated by Ca^{2}+ stimulated endonuclease activation. Toxicol Appl Pharmacol 97:350-359.

Lopez de1 Pino V, Bolt HM. 1977. [Effects of hepatotoxic agents on hepatic microsomal metabolism of estrogens in the rat.] Drug Res 27:2117-20. (German).

*Loveday KS, Anderson BE, Resnick MA, et al. 1990. Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells *in vitro.* V: results with 46 chemicals. Environ Mol Mutagen 16:272-303.

*Lovelock JE, Maggs RJ, Wade WJ. 1973. Halogenated hydrocarbons in and over the Atlantic. Nature 241: 194-196.

*Lowrey K, Glende EA, Recknagel RO. 1981a. Destruction of liver microsomal calcuium pump activity by carbon tetrachloride and bromotrichloromethane. Biochemical Pharmacology 30: 135-140.

*Lowrey K, Glende EA, Recknagel RO. 1981b. Rapid depression of rat liver microsomal calcium pump activity after administration of carbon tetrachloride or bromotrichloromethane and lack of effect after ethanol. Toxicol Appl Pharmacol 59:389-394.

Loyke HF. 1986. Hematological and blood pressure studies in cell treated rats. J Environ Pathol Toxicol Oncol 7 : I-8.

Loyke HF, Maksem JA. 1992. Hepatocellular injury induced by chronic low-dose CCl_4, in spontaneous and renal hypertensive rats: a correlation to the reversal of experimental rat hypertensive models. J Environ Pathol Toxicol Oncol 11:38-42.

Lu PC. 1992. A health hazard assessment in school arts and crafts. J Envion Pathol Toxicol Oncol 11:12-17.

Lundh HAB. 1964. Sequence comparison between kidney and liver lesions in the rat following carbon tetrachloride poisoning. J Occup Med 6: 123-128.

*Luster MI, Munson AE, Thomas PT, et al. 1988. Development of a testing battery to assess chemical-induced immunotoxicity: National Toxicology Program's guidelines for immunotoxicity evaluation in mice. Fundam Appl Toxicol 10:2-19.

*Lutz RW, Shires TK. 1978. Polysomal changes in rats treated with lethal doses of carbon tetrachloride. Toxicol Appl Pharmacol 45:653-663.

*Lynn GE, Vorhes FA. 1957. Residues in foods and feeds resulting from fumigation of grains with the commoner liquid formulations of carbon disulfide, carbon tetrachloride, ethylene dichloride and ethylene dibromide. J Assoc Off Agric Chem 40: 163-165.

Ma LY, LaCagnin LB, Bowman L, et al. 1989. Carbon tetrachloride inhibits synthesis of pulmonary surfactant disaturated phosphatidylcholines and ATP production in alveolar type II cells. Acta Biochem Biophys 1003: 136-144.

*Mabey W, Mill T. 1978. Critical review of hydrolysis or organic compounds in water under environmental conditions. J Phys Chem 7:383-415.

*Mabey WR, Smith JH, Podoll RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA 440/4-81-014. PB87-169090.

*Mackay DM, Freyberg DL, Goltz MN, et al. 1983. A field experiment of ground water transport of halogenated organic solutes (Preprint Extended Abstract). American Chemical Society 196th National Meeting of Division of Environmental Chemists 23:368-71.

*MacMahon HE, Weiss S. 1929. Carbon tetrachloride poisoning with microscopic fat in the pulmonary artery. Am J Pathol 5:623-630.

Maklan, DM, Steele DH, Dietz SK, et al. 1987. Household solvent products: a “shelf” survey with laboratory analysis. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-OTS 560/5-87-006.

*Mannering GJ. 1985. Drug metabolism in the newborn. Fed Proc 44:2302-2308.

*Manno M, deMatteis F, King LJ. 1988. The mechanism of the suicidal, reductive inactivation of microsomal cytochrome P-450 by carbon tetrachloride. Biochem Pharmacol 37: 1981-1990.

*Manno M, Ferrara R, Cazzaro S, et al. 1992. Suicidal inactivation of human cytochrome P-450 by carbon tetrachloride and halothane *in vitro.* Pharmacol Toxicol 70: 13-18.

Manno M, Rezzadore M, Cazzaro S. 1991. Suicidal inactivation of cytochrome P-450 by halothane and carbon tetracholoride. Institut Occup Med, Padova, Italy: 329-331.

*Marchand C, McLean S, Plaa GL. 1970. The effect of SKF 525A on the distribution of carbon tetrachloride in rats. J Pharmacol Exp Therap 714:232-238.

*Markham TN. 1967. Renal failure due to carbon tetrachloride. J Occup Med 9: 16-17.

Masuda Y, Nakamura Y. 1990. Effects of oxygen deficiency and calcium omission on carbon tetrachloride hepatotoxicity in isolated perfused livers from phenobarbital-pretreated rats. Biochem Pharmacol 40: 1865-1876.

*Matsubara T, Mori S, Touchi A, et al. 1983. Carbon tetrachloride-induced hepatotoxicity in rats: evidence for different susceptibilities of rats liver lobes. Japan J Pharmacol 33:435-445.

Matkovics B, Novak R, Szabo L, et al. 1978. Effect of acute carbon tetrachloride intoxication on the lipid peroxidation and the enzymes of the perioxide metabolism of rat tissues. Gen Pharmacol 9:329-332.

*McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the Salmonella/microsome test: assay of 300 chemicals. Proc Nat Acad Sci 72:5135-5139.

McCarty LP, Flannagan DC, Randall SA, et al. 1992. Acute toxicity in rats of chlorinated hydrocarbons given via the intratracheal route. Human Exp Toxicol 11: 173-177.

McClenny WA, Pleil JD, Lumpkin TA, et al. 1987. Toxic monitoring with canister-based systems. Proceedings of the APCA Annual Meeting 80:87/62.3.

*McCollister DD, Beamer WH, Atchison GJ, et al. 1951. The absorption, distribution and elimination of radioactive carbon tetrachloride by monkeys upon exposure to low vapor concentrations. J Pharmacol Exp Therap 102: 112-124.

*McConnell G, Ferguson DM, Peason CR, 1975. Chlorinated hydrocarbons and the environment. Endeavour 34:13-18.

*McDermott WV, Hardy HL. 1963. Cirrhosis of the liver following chronic exposure to carbon tetrachloride. J Occup Med 5:249-251.

*McGuire LW. 1932. Carbon tetrachloride poisoning. J Am Med Assoc 99:988-989.

McKinney JD, Maurer RR, Hass JR, et al. 1975. Possible factors in the drinking water of laboratory animals causing reproductive failure. In: Keith LH, ed. Identification and Analysis of Organic Pollutants in Water. Ann Arbor, MI: Ann Arbor Science Publishers Inc., 417-432.

*McKone TE. 1987. Human exposure to volatile organic compounds in household tap water: the indoor inhalation pathway. Environ Sci Technol 21: 1194-1201.
McKone TE. 1989. Household exposure models. Toxicol Lett 49:321-339.

*McLean AEM, McLean EK. 1966. The effect of diet and l,l,l-trichloro-2,2-bis-(p-chlorophenyl)ethane (DDT) on microsomal hydroxylating enzymes and on sensitivity of rats to carbon tetrachloride poisoning. Biochem J 100564-571.

*McMahon BM. 1971. Analysis of commercially fumigated grains for residues of organic fumigants. J Assoc Off Anal Chem 5 1:964-965.

*Mehendale HM. 1990. Potentiation of halomethane hepatotoxicity by chlordecone: a hypothesis for the mechanism. Med Hypotheses 33:289-299.

*Mehendale HM. 1991. Commentary: Role of hepatocellular regeneration and hepatolobular healing in the final outcome of liver injury. A two-stage model of toxicity. Biochem Pharmacol 42:1155-1162.

*Mehendale HM. 1992. Biochemical mechanisms of biphasic dose-response relationships: Role of hormesis. In: Biologica Effects of Low Level Exposures to Chemicals and Radiation. E.J. Calabrese, ed. Lewis Publishers, Chelsea, MI. 59-94.

*Mehendale HM, Klingsmith JS. 1988. *In Vitro* metabolism of carbon tetrachloride by rats pretreated with chlordecone, mirex, or phenobarbital. Toxicol Appl Pharmacol 93:247-256.

*Mehendale HM, Ray SD, Cai Z. 1991. Paradoxical toxicity of Ccl, in isolated hepatocytes from chlordecone, phenobarbital and mirex pretreated rats. *In Vitro* Toxicology 4:187- 196.

Michael LC, Pellizzari ED, Perritt RL, et al. 1990. Comparison of indoor, backyard, and centralized air monitoring strategies for assessing personal exposure to volatile organic compounds. Environmental Science and Technology 24:996-1003.

*Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. Environmental Science and Technology 22:565-570.

*Milanovich FP. 1986. Detecting chloroorganics in groundwater. Environmental Science and Technology 20:44 1-442.

*Mirsalis JC, Butterworth BE. 1980. Detection of unscheduled DNA synthesis in hepatocytes isolated from rats treated with genotoxic agents: an in vivo-in vitro assay for potential carcinogens and mutagens. Carcinogenesis 1:621-625.

Mirsalis JC, Steinmetz KL. 1990. The role of hyperplasia in liver carcinogenesis. In: Mouse liver carcinogenesis : mechanisms and species comparisons. Alan R. Liss, Inc., ed. 149-161.

*Molina MJ, Rowland FS. 1974. Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. Geophys Res Lett 1:309-312.

Moody DA. 1992. Effect of phenobarbital treatment on carbon tetrachloride-mediated cytochrome P-450 loss and diene conjugate formation. Toxicol Lett 61:213-224.

Moody DE, James JL, Smuckler EA. 1990. Phenobarbital pretreatment alters the localization of CC_4-induced changes in rat liver microsomal fatty acids. Toxicol Appl Pharmacol 103: 16-27.

Moore L, Schoenberg DR, Long RM. 1990. Impact of halogenated compounds on calcium homeostasis in hepatocytes. Environ Health Perspec 84: 149-153.

*Morgan DL, Copper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. Environ Res 55:51-63.

*Mourelle M, Franc0 MT. 1991. Erythrocyte defects precede the onset of CC_4-induced liver cirrhosis protection by silymarin. Life Sciences 48: 1083-1090.

Mourelle M, Meza M. 1990. CC_4-induced lipoperoxidation triggers a lethal defect in the liver plasma membranes. J Appl Toxicol 10:23-27.

Muriel P, Mourelle M. 1990. Prevention by Silymarin of membrane alterations in acute CCI_4, liver damage. J Appl Toxicol 10:275-279.

*Muro H, Shirasawa H, Kosugi I, et al. 1990. Defect of sinusoidal Fc receptors and immune complex uptake in CC_4-induced liver cirrhosis in rats. Gastroenterology 99:200-210.

Murphy SD, Malley S. 1969. Effect of carbon tetrachloride on induction of liver enzymes by acute stress or corticosterone. Toxicol Appl Pharmacol 15: 117-130.

Murray M, Farrell GC. 1984. Different effects of carbon tetrachloride toxicity and cirrhosis on substrate binding to rat hepatic microsomal cytochrome P-450. Biochem Pharmacol 33:687-g.

Murray M, Zaluzny L, Farrell GC. 1987. Impaired Androgen 16 α-hydroxylation in hepatic microsomes from carbon tetrachloride-cirrhotic male rats. Gastroenterology 93:141:147.

Nagai H, Shimazawa T, Yakuo I, et al. 1989a. Role of peptide-leukotrienes in liver injury in mice. Infammation 13:673-680.

Nagai H, Shimazawa T, Yakuo I, et al. 1989b. The role of thromboxane A_2[TxA_2] in liver injury in mice. Prostaglandins 38:439-446.

*Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. Toxicol Appl Pharmacol 50:549-556.

*Narotsky MG, Hamby BT, Mitchell DS, et al. 1992. Full-litter resorptions caused by low molecular weight halocarbons in F-344 rats. Teratology Society Abstracts. 472-473.

NAS. 1977. Drinking Water and Health. Washington, DC: National Academy of Science, 703-707

*NAS. 1978. Chloroform, carbon tetrachloride, and other halomethanes: and environmental assessment. Washington, DC: National Academy of Sciences.

*NAS. 1980. Drinking Water and Health, Volume 3. Washington, DC: National Academy of Sciences.

NAS. 1984. Causes and effects of changes in stratospheric ozone: update 1983. Washington DC: National Academy of Sciences.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.

Nath RG, Li D, Randerath K. 1990. Acute and long-term effects of carbon tetrachloride on DNA modifications (I-compounds) in male mouse liver. Chem Biol Interactions 76:343-357.

*NATICH. 1991. NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. National Air Toxics Information Clearinghouse.

*NCI. 1976. Report on carcinogenesis bioassay of chloroform. Bethesda, MD: National Cancer Institute, March 1, 1976.

*Neeley BW. 1977. Material balance analysis of trichlorofluoromethane and carbon tetrachloride in the atmosphere. Sci Total Environ 8:267-274.

*Neeley WB, Branson DR, Blau GE. 1974. Partition coefficient to measure bioconcentrations potential of organic chemicals in fish. Environmental Science and Technology 8: 1113.

Nelson EDP, Shikiya D, Liu CS. 1987. Multiple air toxics exposure and risk assessment in the South Coast Air Basin. Proceedings of the APCA Annual Meeting 89:87/97.4.

*New PS, Lubash GD, Scherr L, et al. 1962. Acute renal failure associated with carbon tetrachloride intoxication. J Am Med Assoc 181:903-906.

Nhongsaeng J, Toskulkao C, Glinsukon T. 1990. Potentiation of the mechanism of carbon tetrachloride induced hepatotoxicity by thinner inhalation. Research Communications in Substance Abuse 11:73-76.

Nielsen VK, Larsen J. 1965. Acute renal failure due to carbon tetrachloride poisoning. Acta Med Stand 178:363.

NIOSH. 1975. Occupational exposure to carbon tetrachloride. Washington, DC: National Institute for Occupational Safety and Health, Department of Health, Education, and Welfare.

*NIOSH. 1984. Hydrocarbons, halogenated-method 1003. NIOSH Manual of Analytical Methods. 3rd ed. (2nd supplement). Cincinnati, OH: National Institute for Occupational Safety and Health, 1003-1 to 1003-9.

*NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1986. NIOSH recommendations for occupational safety and health standards. Atlanta, GA: U.S. Department of Health and Human Services, National Institute for Occupation Safety and Health, September, 1986.

*NIOSH. 1992. Recommendation for occupational safety, health, compendium of policy documents and statements. U.S. Department of Health and Human Services, Centers for Disease Control, NIOSH, Cincinnati, OH.

*Nirmalakhandan NN, Speece RE. 1988. Prediction of aqueous solubility of organic chemicals based on molecular structure. Environmental Science and Technology 22:328-338.

*NJDEP. 1988. STAL for carbon tetrachloride. Trenton, NJ: New Jersey Department of Environmental Protection.

*Noguchi T, Fong K-L, Lai EK, et al. 1982a. Specificity of a phenobarbital-induced cytochrome P-450 for metabolism of carbon tetrachloride to the trichloromethyl radical. Biochem Pharmacol 31:615-624.

*Noguchi T, Fong K-L, Lai EK, et al. 1982b. Selective early loss of polypeptides in liver microsomes of CC_4-treated rats, Relationship to cytochrome P-450 content. Biochem Pharmacol 31:609-614.

Noll T, Hugo-Wisseman D, Littauer A, et al. 1987. The decisive pO_2-levels in haloalkane-mediated liver cell injury. Free Radic Res Commun 3:293-298.

*Norwood WD, Fuqua PA, Scudder BC. 1950. Carbon tetrachloride poisoning. Arch Ind Hyg Occup Med 1:90-100.

NTP. 1985. Fourth annual report on carcinogens (summary). Washington, DC: U.S. Department of Health and Human Services, NTP 85-002, 50-2.

NTP. 1990. Sixth annual report on carcinogens. Summary report to the National Institute of Environmental Health Sciences, Research Triangle Park, NC, by Technical Resources, Inc., Rockville, MD.

O'Hara TM, Sheppard MA, Clarke EC, et al. 1991. A CCl,/CHCI, interaction study in isolated hepatocytes: non-induced and phenobarbital-pretreated cells. J Appl Toxicol 11: 147-154.

Ochi Y, Yumori Y, Morioka A, et al. 1990. Effect of a-blockade on liver regeneration after carbon tetrachloride intoxication in the rat. Biochem Pharmacol 39:2065-2066.

Ogawa M, Mori T, Mori Y, et al. 1992. Study on chronic renal injuries induced by carbon tetrachloride: selective inhibition of the nephrotoxicity by irradation. Nephron 60:68-73.

Oraumbo IF, Van Duuren B. 1989. Evidence for the covalent interaction of carbon tetrachloride with mouse liver chromatin DNA *in vitro.* Laboratory of Organic Chemistry and Carcinogensis, Report No. L231.13-18.

*Oraumbo IF, Van Duuren BL. 1987. Time-related binding of the hepatocarcingon carbon tetrachloride to hepatic chromatin proteins *in vitro.* Carcinogenesis 8:855-856.

*OSHA. 1989. Occupational Safety and Health Administration. Part III. Federal Register 2679-268 1.

*OSHA. 1993. Occupational Safety and Health Administration: Part V. Federal Register 58:35338-35351.

*OTA. 1990. Neurotoxicity: Identifying and;controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-436. April 1990.

Paddle GM. 1983. Incidence of liver cancer and trichloroethylene manufacture: joint study by industry and a cancer registry. Br Med J 286:846.

Parker KJ, Tuthil TA. 1986. Carbon tetrachloride induced changes in ultrasonic properties of liver. IEEE Trans Biomed Eng 33:453-460.

*Parola M, Leonarduzzi G, Biasi F, et al. 1992. Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. Hepatology 16: 1014-1021.

Paronetto F, Popper H. 1964. Enhanced antibody formation in experimental acute and chronic liver injury produced by carbon tetrachloride or ally1 alcohol. Proc Sot Exp Bio Med 116: 1060-1064.

*Past MR, Cook DE. 1982. Effect of diabetes on rat liver cytochrome P-450: Evidence for a unique diabetes-dependent rat liver cytochrome P-450. Biochem Pharmacol 31:3329-3334.

*Paul BB, Rubinstein D. 1963. Metabolism of carbon tetrachloride and chloroform by the rat. J Pharmacol Exp Ther 141:141-148.

*Paustenbach DJ, Carlson GP, Christian JE, et al. 1986a. A comparative study of the pharmacokinetics of carbon tetrachloride in the rat following repeated inhalation exposures of eight and 11.5 hr/day. Fund Appl Toxicol 6:484-497.

*Paustenbach DJ, Christian JE, Carlson GP, et al. 1986b. The effect of an 11.5-hr/day exposure schedule on the distribution and toxicity of inhaled carbon tetrachloride in the rat. Fund Appl Toxicol 6:472-483.

*Paustenbach DJ, Clewell HJ, Gargas ML, et al. 1988. A physiologically based pharmacokinetic model for inhaled carbon tetrachloride. Toxicol Appl Pharmacol 96:191-211.

*Pearson CR, McConnell G. 1975. Chlorinated Cl and C2 hydrocarbons in the marine environment. Proc R Sot Lond [Biol] 189:305-332.

*Pellizzari ED, Sheldon LS, Bursey JT, et al. 1985a. Master scheme for the analysis of organic compounds in water, state-of-the-art review of analytical operations. Washington, DC: U.S. Environmental Protection Agency.

Pellizzari ED, Sheldon LS, Bursey JT. 1985b. GC/MS determination of volatile halocarbons in blood and tissue. In: Fishbein L, O'Neill IK, eds. Environmental carcinogens selected methods of analysis. Vol. 7. International Agency for Research on Cancer. 435-444.

Pellizzari ED, Zweidinger RA, Sheldon LS. 1985c. GC/MS determination of volatile hydrocarbons in breath samples. In: Fishbein L, O'Neill IK, eds. Environmental carcinogens selected methods of analysis. Vol. 7. International Agency for Research on Cancer. 413-43 1.

*Peoples AJ, Pfaffenberger CD, Shafik TM, et al. 1979. Determination of volatile purgeable halogenated hydrocarbons in human adipose tissue and blood serum. Bull Environ Contam Toxicol 23:244-249.

*Perez AJ, Courel M, Sobrado J, et al. 1987. Acute renal failure after topical application of carbon tetrachloride. Letter to editor. Lancet: February 28, 515-516.

Permutt TJ, Moezzi M, Hudischewskyj AB, et al. 1987. Statistical analysis of concentrations of toxic air pollutants in California and Louisiana. Proceedings of the APCA Annual Meeting 80:87/66.1.

*Pessayre D, Colbert B, Descatoire V, et al. 1982. Hepatotoxicity of trichloroethylene-carbon tetrachloride mixtures in rats. Gastroenterology 83:761-772.

*Peters HA, Levine RL, Matthews CG, et al. 1987. Synergistic neurotoxicity of carbon tetrachloride/carbon disulfide (80/20 fumigants) and other pesticides in grain storage workers. Acta Pharmacol Toxicol (Cophenhagen) 59535-546.

Peterson RE, Fujimoto JM. 1976. Increased “bile duct-pancreatic fluid” flow in rats pretreated with carbon tetrachloride. Toxicol Appl Pharmacol 35:29-39.

*Phelps BM, Hu CH. 1924. Carbon tetrachloride poisoning. Report of two fatal cases and a series of animal experiments. J Am Med Assoc 82:1254-1256.

*Pilon D, Brodeur J, Plaa GL. 1986. 1,3-Butanediol-induced increases in ketone bodies and potentiation of CC_4 hepatotoxicity. Toxicology 40: 165-180.

Pilon D, Brodeur J, Plaa GL. 1988. Potentiation of CCl_4-induced liver injury by ketonic and ketogenic compounds: Role of the CC_4 dose. Toxicol Appl Pharmacol 94:183-190.

Plaa GL, Larson RE. 1964. Relative nephrotoxic properties of chlorinated methane, ethane and ethylene derivatives in mice. Toxicol Appl Pharmacol 7: 37-44.

*Plaa GL, Traiger GJ. 1972. Mechanism of potentiation of CCl_4-induced hepatotoxicity. Proceedings of the 5th International Congress of Pharmacologists 2:100-113

Pleil JD, Oliver KD, McClemry WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spectroscopy. JAPCA 38: 1006-1010.

*Plumb RH. 1991. The occurrence of appendix IX organic constituents in disposal site ground water. Ground Water Monitoring Review XI: 157-164.

Plummer JL, de la Hall P, Isley AH, et al. 1990. Influence of enzyme induction and exposure profile on liver injury due to chlorinated hydrocarbon inhalation. Pharmacol Toxicol 67:329-335.

Poli G, Cheeseman KH, Biasi F, et al. 1989. Promethazine inhibits the formation of aldehydic products of lipid peroxidation but not covalent binding resulting from the exposure of rat liver fractions to CCl_4. Biochem J 264:527-532.

*Pound AW, Horn L, Lawson TA. 1973. Decreased toxicity of dimethylnitrosamine in rats after treatment with carbon tetrachloride. Pathology 5:233-242.

*Payer JL, Floy d RA, McCay PB, et al. 1978. Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrichloromethane. Biochim Biophys Acta 539:402-409.

*Prendergast JA, Jones RA, Jenkins LJ, et al. 1967. Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, l, l, l -trichloroethane, dichlorofluoromethane, and l,l-dichloroethylene. Toxicol Appl Pharmacol 10:270-289.

Pronzato MA, Domenicotti C, Biasi F, et al. 1990. Inactivation of hepatocyte protein kinase C by carbon tetrachloride: involvement of drug's metabolic activation and prooxidant effect. Biochem Biophys Res Commun 171: 1353-1360.

Ptacek CJ, Gillham RW. 1992. Laboratory and field measurements of nonequilibrium transport in the Borden aquifer, Ontario, Canada. Journal Contaminant Hydrology 10: 119-158.

*Rams JM, Pilgrim M, Rauth S, et al. 1979. Level II materials balance:carbon tetrachloride (Draft Report). Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.

*Rae KS, Recknagel RO. 1968. Early onset of lipoperoxidation in rat liver after carbon tetrachloride administration. Exp Mol Pathol 9:271-278.

*Rae KS, Recknagel RO. 1969. Early incorporation of carbon-labeled carbon tetrachloride into rat liver particulate lipids and proteins. Exp Mol Pathol 10:219-228.

8. REFERENCES

*Rae SB, Mehendale HM. 1989. Protective role of fructose 1,6-bisphosphate during carbon tetrachloride hepatoxicity in rats. Biochem J 262:721-725.

*Rae VC, Mehendale HM. 1991. Colchincine antimitosis abolishes CCl_4 autoprotection. Toxicol Pathol 19: 179-606.

*Rae VC, Mehendale HM. 1993. Effect of antimitotic agent colchine on carbon tetrachloride toxicity. Arch Toxicol 67:392-400.

Rao SB, Young RA, Mehendale HM. 1990. Perturbations in polyamines and related enzymes following chlordecone-potentiated bromotrichloromethane hepatotoxicity. J Biochem Toxicol 5:23-32.

Ray P, Moore L. 1986. Carbon tetrachloride-induced release of calcium from isolated hepatocytes. Toxicology 41:205-212.

*Ray SD, Mehendale HM. 1990. Potentiation of Ccl, and CHCl, hepatotoxicity and lethality by various alcohols. Fund Appl Toxicol 15:429-440.

Raymer JH, Thomas KW, Cooper SD, et al. 1990. A device for sampling of human alveolar breath for the measurement of expired volatile organic compounds. J Anal Toxicol 14:337-344.

*Recknagel RO . 1967. Carbon tetrachloride hepatotoxicity. Pharmacol Rev 19: 145-208.

*Recknagel RO, Ghoshal AK. 1966. Lipoperoxidation as a vector in carbon tetrachloride hepatotoxicity. Lab Invest 15: 132-145.

*Recknagel RO, Glende EA Jr. 1973. Carbon tetrachloride hepatotoxicity:An example of lethal cleavage. CRC Crit Rev Toxicol 2:263-297.

Recknagel RO, Glende EA, Dolak JA, et al. 1989. Mechanisms of carbon tetrachloride toxicity. Pharmacol Ther 43: 139-154.

*Reinhardt CF, Azer A, Maxfield ME, et al. 1971. Cardiac arrhythmias and aerosol sniffing. Arch Environ Health 22:226-279.

*Reinke LA, Janzen EG. 1991. Detection of spin adducts in blood after administration of carbon tetrachloride to rats. Chem Biol Interact 78: 155-165.

*Reinke LA, Towner RA, Janzen EG. 1992. Spin trapping of free radical metabolites of carbon tetrachlorie *in vitro* and *in vivo:* Effect of acute ethanol administration. Toxicol Appl Pharmacol 112:17-23.

Reiter R, Burk RF. 1988. Formation of glutathione adducts of carbon tetrachloride metabolites in a rat liver microsomal incubation system. Biochem Pharmacol 37:327-331.

*Reuber MD, Glover EL. 1967. Hyperplastic and early neoplastic lesions of the liver in buffalo strain rats of various ages given subcutaneous carbon tetrachloride. J Natl Cancer Inst 38:891-899.

*Reuber MD, Glover EL. 1970. Cirrhosis and carcinoma of the liver in male rats given subcutaneous carbon tetrachloride. J Nat1 Cancer Inst 44:419-427.

Reynolds ES. 1967. Liver parenchymal cell injury. IV. Pattern of incorporation of carbon and chlorine from carbon tetrachloride into chemical constituents of liver *in vivo.* J Pharmacol Exp Therap 155: 117-126.

*Reynolds ES, Yee AG. 1968. Liver parenchymal cell injury. Part VI. Significance of early glucose-6-phosphatase suppression and transient calcium influx following poisoning. Lab Invest 19:273-281.

*Reynolds ES, Treinen RJ, Farrish HH. 1984. Metabolism of (^{14}C) carbon tetrachloride to exhaled, excreted and bound metabolites. Biochem Pharmacol 33:3363-3374.

*Rhoderick GC, Miller WR. 1990. Multipoint calibration of a gas chromatograph using cryogenic preconcentration of a single gas standard containing volatile organic compounds. Anal Chem 62:810-815.

*RIDOH. 1989. Rhode Island Department of Health. Letter with accompanying data, from Bela T. Matyas (Chief, Office of Environmental Health Risk Assessment) to James Gibson (ATSDR), dated 3 March, 1989.

Rinkus SJ, Legator MS. 1979. Chemical characterization of 465 known or suspected carcinogens and their correlation with mutagenic activity in the *Salmonella typhimurium* system. Cancer Res 39:3289-3318.

*Rocchi P, Prodi G, Grilli S, et al. 1973. *In vivo* and *in vitro* binding of carbon tetrachloride with nucleic acids and proteins in rat and mouse liver. Int J Cancer 11:419-425.

Roghani M, Da Silva C, Castagna M. 1987. Tumor promoter chloroform is a potent protein kinase C activator. Biochem Biophys Res Commun. 142:738-744.

*Roudabush RL, Terhaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. Toxicol Appl Pharmacol 7:559-565.

*Rubin E, Lieber CS. 1968. Hepatic microsomal enzymes in man and rat:Induction and inhibition by ethanol. Science 162:690-691.

*Rungby J, Ernst E. 1992. Experimentally induced lipid peroxidation after exposure to chromium, mercury or silver: interactions with carbon tetrachloride. Pharmacol Toxicol 70:205-207.

*Ruprah M, Mant TGK, Flanagan RJ. 1985. Acute carbon tetrachloride poisoning in 19 patients:implications for diagnosis and treatment. Lancet, May 4, I: 1027-1029.

*Rush B, Merritt MV, Kaluzny M, et al. 1986. Studies on the mechanism of the protective action of 16,16-dimethyl PGE2 in carbon tetrachloride induced acute hepatic injury in the rat. Prostaglandins 32:439-455.

*Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. Atmos Environ 6: 1063-1070.

Saez JC, Bennett VL, Spray DC. 1987. Carbon tetrachloride at hepatotoxic levels blocks reversibly gap junctions between rat hepatocytes. Science 236:967-969.

*Sagai M, Tappel AL. 1978. Effects of vitamin E on carbon tetrachloride-induced lipid peroxidation as demonstrated by in vivo pentane production. Toxicol Lett 2: 149-155.

*Sakata T, Watanabe A, Hobara N, et al. 1987. Chronic liver injury in rats by carbon tetrachloride inhalation. Bull Environ Contam Toxicol 38:959-961.

*Sanzgiri UY, Muralidhara S, Bruckner JV. 1992. Correlation of tissue distribution and hepatoxicity of carbon tetrachloride (CCl_4,) following ingestion. Toxicologist 12:423.

*Sawada S, Yamanaka T, Yamatsu K, et al. 1991. Chromosome aberrations, micronuclei and sisterchromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. Mutat Res 251:59-69.

*Schwetz BA, Leong BKJ, Gehring PJ. 1974. Embryo- and fetotoxicity of inhaled carbon tetrachloride, l,l-dichloroethane and methyl ethyl ketone in rats. Toxicol Appl Pharmacol 28:452-64.

*Seawright AA, McLean AEM. 1967. The effect of diet on carbon tetrachloride metabolism. Biochem J 105: 1055-1060.

*Seawright AA, Wilkie IW, Costigan P, et al. 1980. The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. Biochem Pharmacol 29:1007-1014.

Sein KT, Chu N. 1979. Liver and kidney glucose-6-phosphatase levels in carbon tetrachloride - and PDT - administered mice. Enzyme 24:72-74.

Selan FM, Evans MA. 1987. The role of microtubules in chlorinated alkane-induced fatty liver. Toxicol Lett 36: 117-127.

Semprini L, Hopkins GD, Janssen DB, et al. 199 1. *In-situ* biotransformation of carbon tetrachloride under anoxic conditions. Ada, OK: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, EPA/600/2-90/060.

*Sentjurc M, Mason RP. 1992. Inhibition of radical adduct reduction and reoxidation of the corresponding hydroxylamines in *in vivo* spin trapping of carbon tetrachloride-derived radicals. Free Radical Biology Medicine 13: 151-160.

*Shah H, Hartman SP, Weinhouse S. 1979. Formation of carbonyl chloride in carbon tetrachloride metabolism by rat liver *in vitro.* Cancer Res 39:3942-3947.

*Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compounds (Vocs) data base update. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. PB88-195631.

*Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. Environmental Science and Technology 22: 1381-1388.

*Shamberger RJ, Andreone TL, Willis CE. 1974. Antioxidants and cancer. IV. Initiating activity of malonaldehyde as a carcinogen, J Nat1 Cancer Inst 53:1771-1773.

*Shara MA, Dickson PH, Bagchi D, et al. 1992. Excretion of formaldehyde, malondialdehyde, acetaldehyde and acetone in the urine of rats in response to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, paraquat, endrin and carbon tetrachloride. J Chromatogr Biomed Appl 576:221-233.

*Shertzer HG, Sainsbury M. 1991. Chemoprotective and hepatic enzyme induction properties of indole and indenoindole antioxidants in rats. Food Chem Toxicol 29:391-400.

Shertzer HG, Niemi MP, Reitman FA, et al. 1987. Protection against carbon tetrachloride hepatotoxicity by pre-treatment with indol-3-carbinol. Exper Mol Pathol 46:180-189.

Shertzer HG, Reitman FA, Tabor MW. 1988. Influence of diet on the expression of hepatotoxicity from carbon tetrachloride in ICR mice. Drug Nutr Interact 5:275-282.

Shibayama Y. 1988. On the pathogensis of portal hypertension in cirrhosis of the liver. Liver 8:95-99.

Shimizu Y, Nagase C, Kawai K. 1973. Accumulation and toxicity of carbon tetrachloride after repeated inhalation in rats. Ind. Health 11:48-54.

Shindell S, Ulrich S. 1985. A cohort study of employees of a manufacturing plant using trichloroethylene. J Occup Med 27:577-579.

*Short CL, Kinden DA, Stith R. 1976. Fetal and neonatal development of the microsomal monooxygenase system. Drug Metab Rev 5:1-42.

Siegers CP, Horn W, Younes M. 1985. Effect of hypoxia on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. Acta Pharmacol Toxicol 56: 8 l-86.

*Simko V, Michael S, Katz J, et al. 1992. Protective effect of oral acetylcysteine against the hepatorenal toxicity of carbon tetrachloride potentiated by ethyl alcohol. Alcoholism: Clinical and Experimental Research 16:795-799.

*Simmon VF, Kavhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. In: Scott D, Bridges BA, Sobesl FH (eds). Progress in genetic toxicology. New York: Elsevier/North-Holland Biomedical Press, pp 249-258.

*Simmonds PG, Alyea FN, Cardelino CA, et al. 1983. The atmospheric lifetime experiment. 6. Results for carbon tetrachloride based on 3 years data. 3 Geophys Res 8818427-8441.

*Simmonds PG, Cunnold DM, Alyea FN, et al. 1988. Carbon tetrachloride lifetimes and emissions determined from daily global measurements during 1978-1985. J Atmospheric Chem 7:35-58.

Singh HB, Fowler DP, Peyton TO. 1976. Atmospheric carbon tetrachloride: another man-made pollutant. Science 192: 1231-1234.

*Singh HB, Lillian D, Appleby A, et al. 1975. Atmospheric formation of carbon tetrachloride from tetrachloroethylene. Environ Lett 10:253-256.

*Singh HB, Salas LJ, Cavanagh LA. 1977. Distribution, sources and sinks of atmospheric halogenated compounds. Air Poll Cont 27:332-8.

*Singh HB, Salas LJ, Shigeishi H, et al. 1979a. Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF_6 and N_2O. Draft final report, prepared by SRI International for the U.S. Environmental Protection Agency. Office of Research and Development, Research Triangle Park, NC.

Singh HB, Salas LJ, Smith A, et al. 1979b. Atmospheric measurements of selected toxic organic chemicals. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Chemistry and Physics Department, Environmental Sciences Research Laboratory.

*Singh HB, Salas LJ, Smith A, et al. 1980. Measurements of some potentially hazardous organic chemicals in urban environments. Atmos Environ 15:601-612.

*Singh HB, Salas L, Viezee W, et al. 1992. Measurement of volatile organic chemicals at selected sites in California. Atmos Environ 16:2929-2946.

Sipes IG, El Sisi AE, Sim WW, et al. 1991. Reactive oxygen species in the progression of Ccl,-induced liver injury. In: Biol Reactive Intermediates IV, Plenum Press, New York, NY 489-497.

*Sipes IG, Krishna G, Gillette JR. 1977. Bioactivation of carbon tetrachloride, chloroform and bromotrichloromethane: Role of cytochrome P-450. Life Sci 20:1541-1548.

*Sirota JH. 1949. Carbon tetrachloride poisoning in man. I. The mechanism of renal failure and recovery. J Clin Invest 28: 1412-1422.

Slater RW, Ho JS. 1989. Method 502.2. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development.

Slater TF, Cheeseman KH, Ingold KU. 1985. Carbon tetrachloride toxicity as a model for studying free-radical mediated liver injury. Philos Trans R Sot Lond [Biol] 311:633-645.

*Smetana J. 1939. Nephrosis due to carbon tetrachloride. Arch Intern Med 63:760-777.

*Smialowicz RJ, Simmons JE, Luebke RW, et al. 1991. Immunotoxicologic assessment of subacute exposure of rats to carbon tetrachloride with comparison to hepatotoxicity and nephrotoxicity. Fund Appl Toxicol 17: 186-196.

Smyth HF. 1935. Carbon tetrachloride in industry-the present status and plans for further necessary studies. Ind Med 4: 12-15.

*Smyth HF, Smyth HF Jr., Carpenter CP. 1936. The chronic toxicity of carbon tetrachloride; animal exposure and field studies. Journal of Industrial Hygiene and Toxicology 18:277-298.

Soni MG, Mehendale HM. 1991. Protection from chlordecone-amplified carbon tetrachloride toxicity by cyanidanol: biochemical and histological studies. Toxicol Appl Pharmacol 108:46-57.

Soni MG, Mehendale HM. 1993 Hepatic failure leads to lethality of chlordecone-amplified hepatotoxicity of carbon tetrachloride. Fund Appl Toxicol 21:442-450.

Sonich C, Kraemer DF, Lucas JB. 1981. An epidemiolologic study of acute effects of a low level exposure to carbon tetrachloride (CCI_4). Am J Epidemiol 445.

*SRI. 1988. Chemical Economics Handbook. Manual of current indicators. Menlo Park, CA: SRI International.

*Srivastava SP, Chen NQ, Holtzman JL. 1990. The *in vitro* NADPH-dependent inhibition by CCl_4 of the ATP-dependent calcium uptake of hepatic microsomes from male rats. J Biol Chem 265:8392-8399.

*Staples CA, Werner F, Hooghemm TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. Environ Toxicol Chem 4: 131-142.

Steup DR, Wiersma D, McMillian DA, et al. 1991. Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatoxicity of carbon tetrachloride in Fischer 344 rats. Fund Appl Toxicol 16:798-809.

*Stevens H, Forster FM. 1953. Effect of carbon tetrachloride on the nervous system. Arch Neurol Psychiat 70: 635-649.

*Stewart A, Witts LJ. 1944. Chronic carbon tetrachloride intoxication. Br J Ind Med 1:11-19.

*Stewart RD, Dodd HC. 1964. Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride and l,l,l-trichloroethane through the human skin. Am Ind Hyg Assoc J 25:439-446.

*Stewart RD, Boettner EA, Southworth RR, et al. 1963. Acute carbon tetrachloride intoxication. J Am Med Assoc 183:94-97.

*Stewart RD, Dodd HC, Erley DS, et al. 1965. Diagnosis of solvent poisoning. J Am Med Assoc 193:115-118.

*Stewart, RD, Gay HH, Erley DS, et al. 1961. Human exposure to carbon tetrachloride vapor. J Occup Expos 3 : 586-590.

Stewart PA, Lee JS, Marano DE, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility. II Exposures and their assessment. Br J Ind Med 48:531-537.

8. REFERENCES

*Straus B. 1954. Aplastic anemia following exposure to carbon tetrachloride. J Am Med Assoc 155:737-739.

*Striker GE, Smuckler EA, Kohnen PW, et al. 1968. Structural and functional changes in rat kidney during CCl, intoxication. Am J Pathol 53:769-789.

Suda H, Masui T, Ikawa E, et al. 1987. Compared promoting potential of D-galactosamine, carbon tetrachloride and partial hepatectomy in rapid induction of prenaoplastic liver lesions in the rat. Cancer Lett 37: 163-171.

*Suitheimer C, Bost R, Sunshine I. 1982. Volatiles by headspace chromatography. In: Sunshine I, Jatlow PI, eds. Methodology for Analytical Technology. Volume II. Boca Raton, FL: CRC Press Inc., 1-9.

Summerhays J. 1991. Evaluation of risks from urban air pollutants in the Southeast Chicago area. J Air Waste Manage Assoc. 41:844-850.

Suntres ZE, Lui EM. 1990. Biochemical mechanism of metallothionein-carbon tetrachloride interaction *in vitro.* Biochem Pharmacol 39:833-840.

*Svirbely JL, Highman B, Alford WC, et al. 1947. The toxicity and narcotic action of monochloromonobromomethane with special reference to inorganic and volatile bromide in blood, urine and brain. Journal of Industrial Hygiene 29:382-389.

Symons JM, Bellar TA, Carswell JK, et al. 1975. National organics reconnaissance survey for halogenated organics. Journal of American Water Works Association 67:634-647.

Systems Applications, Inc. 1980. Human exposure to atmospheric concentrations of selected chemicals. Volume I. Carbon tetrachloride. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. PB81-193252.

*Tajima S, Nishimura N, Ito K. 1985. Suppression of delayed-type hypersensitivity mediated by macrophage-like cells in mice with experimental liver injury. Immunology 54:57-64.

*Takizawa S, Watanabe H, Naito Y, et al. 1975. Preparative action of carbon tetrachloride in liver tumorigenesis by a single application of n-butylnitrosourea in male ICR/JCL strain mice. Gann 66:603-614.

Tang N. 1987. DDT and ethanol potentiation of the hepatotoxicity of carbon tetrachloride. Chin J Prev Med 21: 196-198.

*Taylor HF. 1925. A case of hypersensitiveness to carbon tetrachloride. J Am Med Assoc 84:280.

*Taylor SL, Tappel AL. 1976. Effect of dietary antioxidants and phenobarbital pretreatment on microsomal lipid peroxidation and activation by carbon tetrachloride. J Life Sci 19: 1151-l 160.

*Teschke R, Vierke W, Goldermann L. 1983. Carbon tetrachloride (CCl_4) levels and serum activities of liver enzymes following activities Ccl, intoxication. Toxicol Lett 17: 175-180.

*Tezuka M, Ishii S, Okada S. 1991a. Chromium (III) decreases carbon tetrachloride-originated trichloromethyl radical in mice. J Inorganic Biochem 44:26 l-265.

*Tezuka M, Momiyama K, Edano T, et al. 1991b. Protective effect of chromium(III) on acute lethal toxicity of carbon tetrachloride in rats and mice. J Inorganic Biochem 42: l-8.

*Thakore KN, Mehendale HM. 1991. Role of hepatocellular regeneration in (CCl_4) autoprotection. Toxicol Pathol 19:47-58.

Thomas CE, Aust SD. 1986. Free radicals and environmental toxins. Ann Emerg Med 15:1075-1083.

Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister-based method for collection and GUMS analysis of volatile organic compounds in human breath. J Anal Toxicol 15:54-59.

Tortoriello PJ, Riebow JF, Advani S, et al. 1991. The anomaly of pyridine nucleotide synergism in carbon tetrachloride metabolism. Free Radic Biol Med 10:387-396.

8. REFERENCES

*Towner RA, Reinke LA, Janzen EG, et al. 1991. Enhancement of carbon tetrachloride-induced liver injury by a single dose of ethanol: proton magnetic resonance imaging (MRI) studies *in vivo.* Acta Biochem Biophys 1096:222-230.

*Tracey, JP, Sherlock P. 1968. Hepatoma following carbon tetrachloride poisoning. New York Journal of Medicine 68:2202-2204.

*Traiger GJ, Bruckner JV. 1976. The participation of 2-butanone in 2-butanol-induced potentiation of carbon tetrachloride hepatotoxicity. J Pharmacol Exp Therap 196:493-500.

*Traiger GJ, Plaa GL. 1971. Differences in the potentiation of carbon tetrachloride in rats by ethanol and isopropanol pretreatment. Toxicol Appl Pharmacol 20: 105-l 12,

Traiger GJ, Bruckner JV, Jiang WD, et al. 1989. Effect of 2-butanol and 2-butanone on rat hepatic ultrastructure and drug metabolizing enzyme activity. J Toxicol Environ Health 28:235-248.

*TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

Triger DR, Wright R. 1973. Studies on hepatic uptake of antigen. II. The effect of hepatotoxins on the immune response. Immunology 25:95 l-956.

*Tsuda H, Masui T, Ikawa E, et al. 1987. Compared promoting potential of d-galactosamine, carbon tetrachloride and partial hepatectomy in rapid induction of preneoplastic liver lesions in the rat. Cancer Lett 37:163-171.

*Tsuruta H. 1975. Percutaneous absorption of organic solvents. Comparative study of the *in vivo* percutaneous absorption of chlorinated solvents in mice. Industrial Health 13:227-236.

*Uehleke H, Hellmer KH, Tabarelli S. 1973. Binding of 14C-carbon tetrachloride to microsomal proteins *in vitro* and formation of CHC13 by reduced liver microsomes. Xenobiotica 3: l-l 1.

*Uehleke H, Werner T, Greim H, et al. 1977. Metabolic activation of haloalkanes and tests in vitro for mutagenicity. Xenobiotica 7:393-400.

*Uemitsu N. 1986. Inhalation pharmacokinetics of carbon tetrachloride in rats based on arterial blood: inhaled air concentration ratios. Toxicol Appl Pharmacol 83:20-29.

Uemitsu N, Nishimura C, Nakayoshi H. 1986. Evaluation of liver weight changes following repeated administration of carbon tetrachloride in rats and body-liver weight relationship. Toxicology 40: 181-190.

Umiker W, Pearce J. 1953. Nature and genesis of pulmonary alterations in carbon tetrachloride poisoning. Arch Pathol 55:203-217.

*USITC . 1986. Synthetic organic chemicals. United States production and sales. 1986. Washington, DC: U.S. International Trade Commission, publication 2009, 212.

*USITC. 1991. Synthetic organic chemicals. United States production and sales. 1990. Washington, DC: U.S. International Trade Commission, publication 2470, 15-8, 15-30.

Valdivia E, Sonnad J. 1966. Fatty change of the granular preumocyte in carbon tetrachloride intoxication. Arch Pathol 8 1:514-5 19.

Vannelli T, Logan M, Arciero DM, et al. 1990. Degradation of halogenated aliphatic compounds by the ammonia-oxidizing bacterium *nitrosomonas europaea.* Appl Environ Microbial 56: 1169- 117 1.

*Vazquez C, Bujan J, Vallejo D. 1990. Blood coagulation variations induced by carbon tetrachloride inhalation in wistar rats. Toxicol Appl Pharmacol 103:206-213.

Veng-Pedersen P, Paustenback DJ, Carlson GP, et al. 1987. A linear systems approach to analyzing the pharmacokinetics of carbon tetrachloride in the rat following repeated exposures of 8 and 11.5 h/day. Arch Toxicol 60:355-364.

*Verschueren K. 1993. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Company.

Villarruel MC, Fernandez G, Aguilar EG, et al. 1987. Early biochemical alternations in liver mitochondria from carbon tetrachloride poisoned rats. J Appl Toxicol 7: 173-177.

*Vittozzi L, Nastainczyk W. 1987. Binding of reactive metabolites of Ccl, to specific microsomal proteins. Biochem Pharmacol 36: 1401-1406.

*von Oettingen WF. 1964. The halogenated hydrocarbons of industrial and toxicological importance. In: Browning E, ed. Elsevier Monographs on Toxic Agents. New York, NY: Elsevier Publishing Co.

*von Oettingen WF, Powell CC, Sharpless NE, et al. 1949. Relation between the toxic action of chlorinated methanes and their chemical and physicochemical properties. National Inst Health Bull no. 191.

von Oettingen WF, Powell CC, Sharpless NE, et al. 1950. Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. Arch Int Pharmacodyn 81: 17-34.

*Wahlberg JE, Boman A. 1979. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. Stand J Work Environ Health 5:345-351.

Walker BL, Cooper CD. 1992. Air pollution emission factors for medical waste incinerators. J Air Waste Manage Assoc 42:784-791.

*Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. Toxicol Environ Chem 12:215-36.

Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. Environ Res 50:37-55.

8. REFERENCES

*Wallace LC, Pellizzari D, Leaderer B, et al. 1987. Emissions of volatile organic compounds from building materials and consumer products. Atmosph Environ 21: 385-393.

*Wailer RL Glende EA Jr., Recknagel RO. 1983. Carbon tetrachloride and bromotrichloromethane 9 toxicity. Biochem Pharmacol 32: 1613-1617.

*Walters SM. 1986. Cleanup of samples. In: Zweig G, Shema J. eds. Analytical Methods for Pesticides and Plant Growth Regulators. New York, NY: Academic Press, 67-110.

*Walton BT, Hendricks MS, Anderson TA, et al. 1992. Soil sorption of volatile and semivolatile organic compounds in a mixture. J Environ Qua1 21:552-558.

Washall JW, Wampler TP. 1988. Purge and trap analysis of aqueous samples with cryofocusing. American Laboratory, July:70-74.

*Watanabe A, Shiota T, Takei N, et al. 1986. Blood to brain transfer of carbon tetrachloride and lipoperoxidation in rat brain. Res Comm Chem Path Pharmacol 51: 137-140.

*Waterfield CJ, Turton JA, Scales MD, et al. 1991. Taurine, a possible urinary marker of liver damage: a study of taurine excretion in carbon tetrachloride-treated rats. Arch Toxicol 65:548-555.

*Weast RC, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press.

*Weber FL, Macechko PT, Kelson SR, et al. 1992. Increased muscle protein catabolism caused by carbon tetrachloride hepatic injury in rats. Gastroenterology 102: 1700-1706.

*Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. Journal of American Water Works Association 76:52-59.

*WHO. 1984. Guidelines for drinking-water quality. Volume 1. Recommendations. Geneva: World Health Organization.

*Wilson JG. 1954. Influence of the offspring of altered physiologic states during pregnancy in the rat. Ann NY Acad Sci. 57:517-525.

*Wirtschafter ZT. 1933. Toxic amblyopia and accompanying physiological disturbances in carbon tetrachloride intoxication. Am J Public Health 22: 1035-1038.

Wirtschafter ZT, DeMeritt MG. 1959. Reticuloendothelial response to carbon tetrachloride. Arch Pathol 67: 146-158.

*Withey JR, Collins BT, Collins PG. 1983. Effects of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of rat. J Appl Toxicol 3:249-253.

*Wolf CR, Mansuy D, Nastainczyk W, et al. 1977. The reduction of polyhalogenated methanes by liver microsomal cytochrome P-450. Mol Pharmacol 13 :698-705.

Wolfgang GH, Donarski WJ, Petry TW. 1990. Effects of novel antioxidants on carbon tetrachloride-induced lipid peroxidation and toxicity in precision-cut rat liver slices. Toxicol Appl Pharmacol 106:63-70.

*Wang LCK, DiStefano V. 1966. Rapid accumulation of renal fat in cats after single inhalations of carbon tetrachloride. Toxicol Appl Pharmacol 9:485-494.

Wright PB, Moore L. 1991. Potentiation of the toxicity of model hepatotoxicants by acetaminophen. Toxicol Appl Pharmacol 109: 327-335.

*Yamada M, Ishiwada A, Hobo T, et al. 1982. Novel chemiluminescence detector for determination of volatile polyhalogenated hydrocarbons by gas chromatography. J Chromatogr 238: 347.

*Yamamoto HA. 1990a. Brain phenylalanine and tyrosine levels and hepatic encephalopathy induced by Ccl, in rats. Toxicology 61:241-247.

*Yamamoto HA. 199Ob. Relation of Ca+ + accumulation and lipid peroxidation with CCI_4-induced toxicity in the rat liver. Pharmacol Toxicol 66:213-216.

Yamamoto H, Sugihara N. 1987. Blood ammonia levels and hepatic encephalopathy induced by CCl_4, in rats. Toxicol Appl Pharmacol 91:461-468.

*Yamashita S, Ozawa R, Yamaguchi K, et al. 1992. Analysis of volatile organic compounds in air by gas chromatography with thermal desorption cold-trap injection and atomic emission and mass selective detection. Journal of High Resolution Chromatography 15:549-551.

Yano T, Shibagaki T, Kitamura H, et al. 1988. The mechanism of carbon tetrachloride induced pulmonary Clara cell damage: biochemical and morphologic studies. Res Commun Chem Pathol Pharmacol 62:483-493.

*Young RA, Mehendale HM. 1989. Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (Kepone). J Biochem Toxicol 4:211-219.

Zalatnai A, Sarosi I, Rot A, et al. 1991. Inhibitory and promoting effects of carbon tetrachlorideinduced liver cirrhosis on the diethylnitrosamine hepatocarcinogenesis in rats. Cancer Lett 57:67-73.

*Zlatkis A, Kim K. 1976. Column elution and concentration of volatile compounds in biological fluids. J Chromatogr 126:475-485.